View NSN Online: https://aerobasegroup.jp/nsn/5910-00-054-6642 AEROVOX INC -- P138F54 -- 5910-00-054-6642 Product ID:P138F54 MSDS Date:01/01/1985 FSC:5910 NIIN:00-054-6642 MSDS Number: BCWHW === Responsible Party === Company Name: AEROVOX INC Address:740 BELLEVILLE AVE City:NEW BEDFORD State:MA ZIP:02745-6010 Country:US **Emergency Phone Num:NONE** CAGE:JO868 === Contractor Identification === Company Name: AEROVOX INC Address:740 **BELLEVILLE AVE** Box:City:NEW BEDFORD State:MA ZIP:02745-6010 Country:US CAGE:JO868 Company Name: AEROVOX INC. Address:740 BELLEVILLE AVE Box:City:NEW BEDFORD State:MA ZIP:02745-6010 Country:US Phone:508-994-9661 / 508-994-9635 CAGE:00656 ======= Composition/Information on Ingredients ======== Ingred Name: POLYCHLORINATED BIPHENYLS (PCBS) (SARA III) CAS:1336-36-3 RTECS #:TQ1350000 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Effects of Overexposure:INHAL:RESP TK IRRIT; SKIN/EYE;IRRIT,INFLAM,CHLORACNE; MAY CAUSE LIVER DAMAGE.
======================================
First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF,GIVE OXYGEN; EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONCS. GET MEDICAL ATTN.
======================================
Flash Point:NONE Extinguishing Media:EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD BRTHG APP. Unusual Fire/Explosion Hazard:MATL IS NON-FLAMMABLE BUT MAY GENERATE TOXIC GASES IN HEAT OF FIRE.
========= Accidental Release Measures ==========
Spill Release Procedures:EVAC NON-ESSENTL PERSONNEL. VENT SPIL AREA. WEAR PROTECT EQUIPT. STOP LEAK. SOAK UP LIQUID W/NON-REACT IVE MATL (SAND, DIRT, ETC) OR RMV BY DIKE & PUMPING OR OTHER SUITABLE MEANS. CLEAN AREA W/SUITABLE SAFETY SOLVENT. LAUNDER CONTAMINATED CLTHNG.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:CHLORODIPHENYLS MAY ATTACK SOME TYPES OF RUBBER AND PLASTIC. DO NOT USE CONTAMINATED W ORK CLOTHING. WASH/SHOWER AFTER EXPOSURE TO PCB'S.
===== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MESA APPR SCBA/AIR SUPP RESPIR. Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV. Protective Gloves:IMPERVIOUS Eye Protection:GOGGLES/FACE SHIELD Other Protective Equipment:WEAR FULL PROTECTIVE CLOTHING. Supplemental Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES EYES,NOSE THROAT.
============ Phy

sical/Chemical Properties ==========
HCC:Z3 Solubility in Water:NEGLIGIBLE Appearance and Odor:PALE YELLOW VISCOUS LIQUID W/HYDROCARBON ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:SEE OTHER PRECAUTIONS Hazardous Decomposition Products:HYDROGEN CHLORIDE, CO, & OTHER TOXIC/IRRITATING GASES/FUMES.
====== Disposal Considerations ======== ===========================

Waste Disposal Methods:CONTROLLED DISPOSAL REQD. GEN. V.HIGH TEMP INCINERATION. IAW ALL LOCAL, STATE, & FEDERAL REGULATIONS. PERMITTED DISPOSAL OPERATOR REQUIRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.