View NSN Online: https://aerobasegroup.jp/nsn/8010-00-246-6443

Product ID:TURPENTINE (ASTM D-13)

MSDS Date:01/01/1985

FSC:8010

NIIN:00-246-6443

MSDS Number: BDNJW === Responsible Party ===

Company Name: HERCULITE PRODUCTS INC

Address: ABEERDEEN RD

Box:467

City: EMIGSVILLE

State:PA ZIP:17318 Country:US

Info Phone Num:717-764-1191/FAX 717-764-5211

Emergency Phon

e Num:717-764-1191/FAX 717-764-5211

CAGE:13324

=== Contractor Identification ===

Company Name: HERCULES INCORPORATED

Address:HERCULES PLAZA

City:WILMINGTON

State:DE ZIP:19894 Country:US

Phone:302-594-5000

CAGE:28284

Company Name: HERCULITE PRODUCTS INC

Address:1107 BROADWAY

Box:467

City:NEW YORK

State:NY

ZIP:10010-2802 Country:US CAGE:13324

======= Composition/Information on Ingredients ========

Ingred Name:SOLVENTS Fraction by Wt: 100% ACGIH TLV:100PPM

====== Hazar

Effects of Overexposure:MAY CAUSE EYE IRRITATION DERMITITAS OF SKIN,MAY CAUSE KIDNEY INFECTIONS.
======================================
First Aid:EYE:FLUSH W/WATER,CALL A DR.SKIN:WASH W/SOAP & WATER.INHAL:REMOVE TO FRESH AIR.IF SWALLOWED:DO NOT INDUCE VOMITING,
======================================
Flash Point:99F TCC 37 C Extinguishing Media:FOAM,DRY CHEMICAL,CO*2
====== Accidental Release Measures ===========
Spill Release Procedures:ELIMINATE IGNITION SOURCE.STOP SPILL AT ONCE,CONTAIN SPILL BY DIKE,ETC.PUMP INTO SALVAGE TANK.AVOID CONTACT W/VAPOR OR SPRAY MIST.
========== Handling and Storage ============
Handling and Storage Precautions:NORMAL,KEEP AWAY FROM FLAMES OR HIGH HEAT.USE ONLY W/ADEQUATE VENTILATION.AVOID PROLONGED CONTACT W/SKIN.
Other Precautions: AVOID CONTACT W/OXIDIZING MATERIALS.
===== Exposure Controls/Personal Protection ========
Respiratory Protection:AS NEEDED TO MAINTAIN CONCENTT BELOW TLV LEVEL Ventilation:LOC EXHAUST-RECOMMENDED Protective Gloves:RECOMMENDED Eye Protection:RECOMMENDED Supplemental Safety and Health PROCURED UNDER ASTM D-13
========= Physical/Chemical Properties ==========
HCC:F3 Boiling Pt:B.P. Text:307 F 152 C Spec Gravity:.864 Evaporation Rate & Discrete Company Reference:1 Solubility in Water:NEGLIGIBLE Appearance and Odor:SLI

ds Identification =========

GHTLY YELLOW COLOR W/A PINACEOUS ODOR Percent Volatiles by Volume:99.0
Stability and Reactivity Data
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:STRONG OXIDIZING MATERIALS Conditions to Avoid Polymerization:CONTACT W/STRONG ACIDS FOR LEWIS ACIDS

======= Disposal Considerations ===========

Waste Disposal Methods:LIQUID INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.