

CORONADO PAINT COMPANY INC -- 69-27 SUP PENETRATING OIL WOOD STAIN

=====

MSDS Safety Information

=====

FSC: 8010
NIIN: 00-281-2076
MSDS Date: 05/23/1991
MSDS Num: BDSRW
Product ID: 69-27 SUP PENETRATING OIL WOOD STAIN
MFN: 01
Responsible Party
Cage: 33200
Name: CORONADO PAINT COMPANY INC
Address: 308 OLD COUNTY RD
City:
EDGEWATER FL 32132
Info Phone Number: (904) 428-6461
Emergency Phone Number: (904) 428-6461
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: 33200
Name: CORONADO PAINT COMPANY, INC.
Address: 308 OLD COUNTY ROAD
City: EDGEWATER FL 32132-1812

=====

Contractor Summary

=====

=====

Cage: 33200
Name: CORONADO PAINT COMPANY, INC.
Address: 308 OLD COUNTY ROAD
City: EDGEWATER FL 32132-1812
Phone: 904-428-6461

=====

Item Description Information

=====

Item Manager: GSA
Item Name: STAIN
Specification Number: TT-S-711C
Unit of Issue: GL
UI Container Qty: 4

=====

Ingredients

=====

=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES: SEVERE IRRITATION, REDNESS, TEARING, & BLURRED VISION. INHALATION: CENTRAL NERVOUS SYSTEM DEPRESSION, DIZZINESS, HEADACHE, IN

TOXICATION W/EUPHORIA, UNCONSCIOUSNESS, IRRITATION TO THE MUCOUS MEMBRANES, NOSE & THROAT IRRITATION. INGESTION: GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING, & DIARRHEA.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: INGESTION: ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE PNEUMONITIS WHICH CAN BE FATAL. INHALATION: REPEATED/PROLONGED OVEREXPOSURE TO SOLVENTS CAUSES PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.

First Aid: EYES/SKIN: FLUSH W/WATER

ARM WATER FOR 15 MINS. INHALATION: REMOVE

TO FRESH AIR. RESTORE BREATHING IF REQUIRED. INGESTION: RINSE MOUTH IMMEDIATELY. GIVE EXPOSED INDIVIDUAL 6 TO 8 OUNCES OF LIQUIDS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DON'T INDUCE VOMITING UNLESS ADVISED BY A PHYSICIAN. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====

Handling and Disposal

=====

Spill Release Procedures: ABSORB LIQUID

ON PAPER, VERMICULITE, FLOOR ABSORBANT,

OR OTHER ABSORBANT MATERIAL. PREVENT RUNOFF TO SEWERS STREAMS OR OTHER BODIES

OF WATER. STOP SPILL AT SOURCE, DIKE AREA OF SPILL TO PREVENT SPREADING, PUMP LIQUID TO SALVAGE TANK.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. DESTROY BY INCINERATION.

Handling And Storage Precautions: AVOID CONTACT W/EYES & SKIN. CONTAINERS

CAN CONTAIN HAZARDOUS PRODUCT RESIDUES EVEN WHEN EMPTY. AVOID BREATHING

OF
VAPORS.

Other Precautions: WASH W/SOAP & WATER BEFORE EATING, DRINKING, SMOKING, OR
USING TOILET FACILITIES. KEEP WELDING OR CUTTING EQUIPMENT AWAY FROM PRODUCT.

=====

Fire and Explosion Hazard Information

=====

Flash Point Text: 105F
Lower Limits: 1%
Upper Limits: 6%
Extinguishing Media: FOAM, CARBON DIOXIDE, DRY CHEMICAL
Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARA
TUS W/A FULL

FACEPLATE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE PRESSURE MODE WHEN
FIGHTING FIRES.
Unusual Fire/Explosion Hazard: VAPORS MAY BE >AIR & MAY TRAVEL ALONG THE
GROUND BEFORE IGNITION & FLASH BACK TO IGNITION SOURCE.

=====

Control Measures

=====

Respiratory Protection: IF TLV OR ANY COMPONENT EXCEEDED, A NIOSH/MSHA JOINTLY
APPROVED AIR SUPPLIED RESPIRATOR IS ADV
ISED IN ABSENSE OR PROPER
ENVIRONMENTAL CONTROL. ENGINEERING OR ADMINISTRATIVE CONTROLS SHOULD BE
IMPLIMEN TED TO REUDCE EXPOSURE.
Ventilation: AS REQUIRED
Protective Gloves: RESISTANT, NATURAL RUBBER, NEOPRENE
Eye Protection: CHEMICAL SPLASH GOGGLES
Other Protective Equipment: IMPERVIOUS CLOTHING, EYE BATH, SAFETY SHOWR, APRON
& BOOTS.
Supplemental Safety and Health: 6.9 LBS/GAL. INTENTIONAL MISUSE BY DELIBERATELY
CONCENTRATING & INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

=====

Physical/Chemical Properties

=====

B.P. Text: 390F
Vapor Pres: 0.10
Vapor Density: >AIR
Spec Gravity: N/K1
Evaporation Rate & Reference: SLOWER THAN BU AC
Percent Volatiles by Volume: 81.33%

=====

Reactivity Data

=====

Stability Indicator: YES
Stability Condition To Avoid: HEAT, FLAME, ELEC

TRICAL EQUIPMENT, SPARKS, & OPEN
FLAME.

Materials To Avoid: STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: CO2, CO, VARIOUS HYDROCARBONS

Hazardous Polymerization Indicator: NO

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

HAZCOM Label

=====

Pro
duct ID: 69-27 SUP PENETRATING OIL WOOD STAIN
Cage: 33200
Company Name: CORONADO PAINT COMPANY, INC.
Street: 308 OLD COUNTY ROAD
City: EDGEWATER FL
Zipcode: 32132-1812
Health Emergency Phone: (904) 428-6461
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: EYES: SEVERE IRRITATION, REDNESS, TEARING, &
BLURRED VISION. INHALATION: CENTRAL NERVOUS SYSTEM DEPRESSION, DIZZINESS,
HEADACHE, INTOXICATION W/EUPH

ORIA, UNCONSCIOUSNESS, IRRITATION TO THE MUCOUS
MEMBRANES, NOSE & THROAT IRRITATION. INGESTION: GASTROINTESTINAL
IRRITATION, NAUSEA, VOMITING, & DIARRHEA. INGESTION:
ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE PNEUMONITIS WHICH CAN BE
FATAL. INHALATION: REPEATED/PROLONGED OVEREXPOSURE TO SOLVENTS CAUSES
PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE.

=====

Disclaimer (provided with this information by the compiling agencies): This

s): This

information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction

who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.