View NSN Online: https://aerobasegroup.jp/nsn/8010-00-297-0556

PRATT AND LAMBERT INC -- 741-610 -- 8010-00-297-0556

Product ID:741-610 MSDS Date:01/01/1985 FSC:8010 NIIN:00-297-0556 **MSDS Number: BDVYN** === Responsible Party === Company Name: PRATT AND LAMBERT INC Address:945 BURLINGTON City:KANSAS CITY State:MO ZIP:64141 Country:US Emergency Phone Num:316-733-1361 CAGE:92216 === Contractor Identification === Company Name: PRATT AND LAMBERT INC Address:945 BURLINGTON Box:206 **City:KANSAS CITY** State:MO ZIP:64141 Country:US CAGE:92216 Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN) CAS:8030-30-6 RTECS #:SE7555000 Fraction by Wt: 35.0% OSHA PEL:100 PPM Ingred Name:LEAD (SARA III) CAS:7439-92-1 RTECS #: OF7525000 Fraction by Wt: 0.24% OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: AROMATIC 1

00 Fraction by Wt: < 5% ACGIH TLV:200 PPM

======================================
Effects of Overexposure:INHAL:ANESTHETIC & IRRITATION TO AIRWAY;IRRITATION-SKIN/EYE. HEADACHE,DIZZY,COMA.
======================================
First Aid:SKIN/EYES:FLUSH WITH PLENTY OF WATER.REMOVE CONTAMINATED CLOTHING.INHAL:REMOVE TO FRESH AIR. CALL MD. IF NEEDED.
======================================
Flash Po int:104 F, 40 C, TCC Lower Limits:1.1
Extinguishing Media:CARBON DIOXIDE/DRY CHEM.SMALL;POLYMER FOAM-LARGE FIRE
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARTUS AVAILABLE FOR FIREMEN.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE DUE TO PRESSURE BUILD-UP
======================================
Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAMES,SPARKS)AVOID BREATHING VAPORS.VENTILATE AREA. REMOVE
WITH INERT ABSORBENT AND NON-SPARKING TOOLS.
======================================
 Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LARGE AMTS. IN BUILDINGS DESIGNED AND PROTECTED FOR STORAGE OF NFPA CLASS ONE FLAMMABLE(OR COMBUSTABLE)LIQUID. Other Precautions:DO NOT TAKE INTERNALLY.CONTAINERS SHOULD BE GROUNDED WHEN POURING,AVOID FREE FALL IN EXCESS OF A FEW INCHES,DO NOT FLAME CUT,BRAZE, OR WELD COATED MATERIAL W/O VENTILATION.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:APPROVED BUREAU OF MINES RESPIRATORS W/PROPER FILTER OR HOOD Ventilation:GENERAL DILUTION/LOCAL EXHAST FOR TLV&LEL SAFETY & WELDING Protective Gloves:ALOT OF CONTACT Eye Protection:USE EYEWEAR IF SPLASHING Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT TO CONTAMINATED CLOTHING Supplemental Safety and Health BOILING RANGE:155-189 C.

HCC:F4 Boiling Pt:B.P. Text:311-373 F Evaporation Rate & amp; Reference: