

PRAXAIR INC -- ENAMEL ALKYD SG WHITE 27875 (745720) -- 8010-00-297-0584

=====  
Product Identification  
=====

Product ID:ENAMEL ALKYD SG WHITE 27875 (745720)

MSDS Date:01/01/1987

FSC:8010

NIIN:00-297-0584

MSDS Number: BDVZV

=== Responsible Party ===

Company Name:PRAXAIR INC

Address:39 OLD RIDGEBURY RD

Box:2153

City:DANBURY

State:CT

ZIP:06817-0001

Country:US

Info Phone Num:203-794-5782

Emergency Phone

Num:203-794-5782

CAGE:0LV01

=== Contractor Identification ===

Company Name:PRATT AND LAMBERT INC

Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

Company Name:PRAXAIR, INC.

Address:39 OLD RIDGEBURY RD

Box:City:DANBURY

State:CT

ZIP:06810-5113

Country:US

Phone:800-772-9247; 800-PRAXAIR

CAGE:0LV01

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SILICA, CRYSTALLINE - CRISTOBALITE

CAS:14464-46-1

RTECS #:VV7325000

OSHA PEL:SEE

TABLE Z3  
ACGIH TLV:0.05 MG/M3 RDUST9293

Ingred Name:TALC (CONTAINING NO ASBESTOS)  
CAS:14807-96-6  
RTECS #:WW2710000  
OSHA PEL:2 MG/M3 RDUST  
ACGIH TLV:2 MG/M3 RDUST; 9192

Ingred Name:TITANIUM DIOXIDE  
RTECS #:XR2100000  
ACGIH TLV:10 MG/CU.M.

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS:1330-20-7  
RTECS #:ZE2100000  
OSHA PEL:100 PPM/150 STEL  
ACGIH TLV:100 PPM/150STEL;9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:MINERAL SPIRITS  
CAS:64475-85-0  
RTECS #:PY8240000  
ACGIH TLV:100 PP  
M

=====  
===== Hazards Identification =====

Effects of Overexposure:SWALLOWING CAN CAUSE GASTROINTESTINAL  
IRRITATION,ANESTHETIC,MAY CAUSE HEADACHE OR NAUSEA

=====  
===== First Aid Measures =====

First Aid:IF SWALLOWED INDUCE VOMITING.CONSULT PHYSICIAN OR POISON  
CONTROL CENTER.INHALATION-REMOVE TO FRESH AIR.EYE-FLUSH WITH LARGE  
AMOUNTS OF WATER FOR 15 MINUTES.SKIN-WASH AFFECTED AREA WITH SOAP  
AND WATER. GET MEDICAL ATTE  
NTION IF IRRITATION PERSISTS

=====  
===== Fire Fighting Measures =====

Flash Point:80F(26.67C)  
Lower Limits:1.10  
Extinguishing Media:CLASS B FIRE EXTINGUISHERS  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS  
Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED.ISOLATE  
FROM HEAT.CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT

=====  
===== Accidental Release Measures =====

Spill Release Procedures:KEEP SPECTATORS A

WAY.ELIMINATE ALL IGNITION

SOURCES.DIKE AND CONTAIN SPILL WITH INERT MATERIAL.TRANSFER LIQUIDS TO COVERED METAL CONTAINERS FOR RECOVERY OR DISPOSAL.PREVENT CONTAMINATION OF SEWERS,STR EAMS AND GROUND WATER WITH SPILLED MATERIAL

=====  
===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 120F.STORE LARGE QUANTITIES IN COMPLIANCE WITH OSHA 29CFR1910.106

Other Precautions:DO NOT TAKE INTERNALLY.CLOSE CONTAINER AFTER EACH

USE.DO NOT BREATHE SANDING DUST.EMPTY CONTAINERS MUST NOT BE WASHED OR REUSE.NEVER USE PRESSURE TO EMPTY CONTAINER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED MECHANICAL FILTER OR AIR-SUPPLIED RESPIRATOR

Ventilation:PROVIDE GENERAL DILUTION AND LOCAL EXHAUST VENTILATION

Protective Gloves:IMPERMEABLE

Eye Protection:GOGGLES AND FACE SHIELD

Other Protective Equipment:NONE LIKELY TO BE NEEDED

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt:B.P. Text:244F

Vapor Pres:5

Vapor Density:>1

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:56

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS OR ALKALINE MATERIALS

Stability Condition to Avoid:NONE KNOWN

Hazardous Decomposition Products:BURNING WILL PRODUCE SMOKE,CARBON MONOXIDE AND DIOX

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL LAWS.DO NOT INCINERATE CLOSED CONTAINERS.INCINERATE ONLY IN EPA PERMITTED FACILITY.OBSERVE PRECAUTIONS FOR DISPOSAL OF FLAMMABLE MATERIALS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.