Product ID: EFFA DUSTER MSDS Date:01/01/1987 FSC:6830 NIIN:00-424-9580 **MSDS Number: BDYPG** === Responsible Party === Company Name: ERNEST F. FULLAM, INC. Address:900 ABANY SHAKER ROAD City:LATHAM State:NY ZIP:12110-1416 Country:US Info Phone Num:302-774-2549 Emergency Phone Num:302-774-2549 CAGE:LO356 === Contractor Identification === Company Name: ERNEST F. FULLAM, INC. А ddress:900 ABANY SHAKER ROAD Box:City:LATHAM State:NY ZIP:12110-1416 Country:US Phone:302-774-2549 CAGE:LO356 Company Name: FULLAM ERNEST F INC Address:900 ALBANY SHAKER RD Box:City:LATHAM State:NY ZIP:12110-1416 Country:US Phone:518-785-5533 CAGE:22741

Ingred Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000 Fraction by Wt: 100% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:IRRITATION OF EYES,SKIN AND RESPIRATORY TRACT;MAY CAUSE DIZZINESS AND FAINTING. CHRONIC:NO DATA AVAILABLE. Effects of Overexposure:DIZZINESS AND FAINTING Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.
======================================
First Aid:INHALATION-REMOVE PERSON TO FRESH AIR,BREATHE DEEPLY.CONTACT WITH LIQUID-TREAT FOR FROST BITE.
======================================
Flash Point:NONE Extinguishing Media:EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SCBA;DO NOT INCINERATE CANS. Unusual Fire/Explosion Hazard:CAN PACKED UNDER PRESSURE SHOULD NOT BE STORED OVER 130 F
======================================
Spill Release Procedures:EVACUATE AREA. WEAR SCBA, PROTECTIVE CLOTHING. STOP LEAK. NOTIFY SUPPLIER AND AUTHORITIES. LIMIT ENTRIES TO SHORT TIME. REMOVE TO FUME HOOD IF POSSIBLE UNTIL LEAK STOPPED. VENTILATE ROOM
======================================

Handling and Storage Precautions:CONTRS HAZ WHEN EMPTY. ALL HAZ PRECS MUST BE OBSERVED. PROT. CONTRS AGAINST PHYS. DAMAGE KEEP CONTRS CLOSED.AVOID FIRE HAZ. STG IN COOL, DRY PLACE. Other Precauti ons:DO NOT STORE ABOVE 130F/54C.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT REQUIRED UNDER NORMAL USE Ventilation:NORMAL ROOM VENTILATION Protective Gloves:IMPERVIOUS Eye Protection:CHEM SPLASH GOGGLES Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT. Supplemental Safety and Health MSDS UNDATED. THIS ITEM IS NON-FLAMMABLE,HOWEVER,MIXTURES WITH FLAMMABLE LIQ OR GASES MAY BE FLAMMABLE & SHOULD BE HA NDLED WITH CAUTION.

HCC:G3 Boiling Pt:B.P. Text:-21.6F/-29C Vapor Pres:70 PSI Vapor Density:UNK Spec Gravity:1.3 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS GAS,CLEAR LIQUID,ODORLESS Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:DO NOT STORE ABOVE 130 F H azardous Decomposition Products:IN PRESENCE OF HIGH HEAT SOURCE OR OP FLAME HCL,HF,CL*2

Waste Disposal Methods: VENT CONTENT OF CANS OUTSIDE TO RELIEVE ALL PRESSURE.DISPOSE CAN IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America

in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.