

EASTMAN KODAK COMPANY -- 187 0500,EKTCHRM FILM COLR DEVLPR,E-3,PT C --  
6750-00-471-2758

=====  
Product Identification  
=====

Product ID:187 0500,EKTCHRM FILM COLR DEVLPR,E-3,PT C

MSDS Date:01/01/1985

FSC:6750

NIIN:00-471-2758

MSDS Number: BDZQN

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTM

AN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:4-AMINO-N-ETHYL-N-(B-METHANESULFONAMIDOETHYL)-M-TOLUIDINE  
SESQUISULFATE MONOHYDRATE:55-60

Fraction by Wt: 57.5%

Ingred Name:SOLIDS,HAZARD UNKNOWN,UNIDENTIFIED COMPONENTS; WT% BY  
DIFFERENCE

Fraction by Wt: 42.5%

=====  
Hazards Iden  
tification  
=====

Effects of Overexposure:EYES:IRRITNT;INHALE/SKIN:MAY CAUSE  
IRRITATION;REPEATED SKIN CONTACT MAY CAUSE ALLERGIC SKIN REACTION

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR,GIVE CPR/O\*2 IF NEED;EYES:FLUSH W  
LG AMTS H\*20 FOR 15 MIN;SKIN:FLUSH W LG AMTS H\*20;INGEST:RINSE  
MOUTH, GET IMMEDIATE MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Extinguishin

g Media:SUITABLE FOR SURROUNDING FIRE  
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP.  
Unusual Fire/Explosion Hazard:NONE NOTED: IF DUSTING CONDITIONS,USE  
H\*2O SPRAY TO KNOCK DOWN DUST(IRRIANT).

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS.PROVIDE  
VENTILATION/ELIM DUST.SWEEP/SHOVEL MATERIAL INTO COVERED CONTAINERS  
PENDING DISPOSAL.RESIDUE MAY BE FLUSHED WITH WATER(IF SEWER IS  
CLEARED OF OXIDIZING AGENTS),PER MFG.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW  
FIRE RISK AREA.PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL  
CONTACT.KEEP CONTAINERS TIGHTLY CLOSED.  
Other Precautions:AVOID PROLONGED OR REPEATED CONTACT W CHEMICAL.REMOVE  
& WASH CONTAMINATED CLOTHING.MAINTAIN STRICT HYGIENE:USE OF  
NON-ALKALINE(ACID) TYPE HAND CLEANER REDUCES RISK OF ALLERGIC SKIN  
REACTION

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR EXCESSIVE DISPERSAL,IN AIR,WEAR DUST  
RESPIRATOR.  
Ventilation:MECHANICAL(GEN/LOCAL EXHAUST)  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES/GOGGLES  
Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT.  
Supplemental Safety and Health  
MSDS FROM MFG DATED 11-15-75(MFG DISCONTINUED 1979. PART C OF THREE  
PART PRODUCT,SAME NSN.KEY1:N1.

===== Physical/Chemical Properties =====

HCC:T6  
Vapor Pres:0  
Spec Gravity:>1  
Solubility in Water:APPRECIABLE  
Appearance and Odor:SOLID MIXTURE,TAN-PINK POWDER;ODORLESS.  
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE NOTED(AVOID OXIDIZING AGENTS WHEN MIXED WITH WATER)  
Stability Condition to Avoid:DUST GENERATING CONDITIONS,OR CONTACT WITH  
OXIDIZING AGENTS  
Hazardous Decomposition Products:NONE NOTED

=====

=== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED CONTAINERS PENDING DISPOSAL.HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE,& LOCAL REGULATIONS. MFG NOTES MATERIAL MAY BE FLUSHED TO SEWER WITH EXCESS OF WATER/SEE INCOMPATIBILITY NOTES).

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.