FILTRON CO.INC FA3165 5915-00-581-9975
Product ID:FA3165 MSDS Date:01/01/1985 FSC:5915 NIIN:00-581-9975 MSDS Number: BFGDV === Responsible Party === Company Name:FILTRON CO.INC Address:148 SWEET HOLLOW RD City:OLD BETHPAGE State:NY ZIP:11804-1315 Country:US Emergency Phone Num:NONE CAGE:JO764 === Contractor Identification === Company Name:FILTRON CO INC Address:148 SWEET HOLLOW RD Box:City:OLD BETHPAGE
State:NY ZIP:1180 4-1315 Country:US
Phone:914-699-2000 CAGE:81831 Company Name:FILTRON CO.INC Address:148 SWEET HOLLOW RD
Box:City:OLD BETHPAGE State:NY ZIP:11804-1315 Country:US CAGE:JO764
======= Composition/Information on Ingredients =========
Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III) CAS:1336-36-3 RTECS #:TQ1350000 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB
======================================

Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUS

ES CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)
======================================
First Aid:EYES:FLUSH W/WATER IMMEDIATELY.SKIN:WASH W/SOAP IMMEDIATELY.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR.AS NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE UNC ONSCIOUS PERSON VOMIT.
========= Accidental Release Measures ===========
Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT
RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.
======================================
Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER-IMPERV Eye Protection:GOGGLES,FACE SHIELD Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT Sup plemental Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES EYES,NOSE THROAT.
========= Physical/Chemical Properties ===========
HCC:Z3 Appearance and Odor:LIGHT STRAW-COLORED LIQUID,AROMATIC ODOR
========= Stability and Reactivity Data ==========
STRONG OXIDIZERS
========= Disposal Considerations ============
Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH

TEMPERATURE INC

INERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitab ility of this information to their particular situation.