View NSN Online: https://aerobasegroup.jp/nsn/8010-00-597-8229

AMERON INDUSTRIAL COATINGS DIVISION -- YELLOW #13594 -- 8010-00-597-8229

Product ID:YELLOW #13594 MSDS Date:01/01/1987 FSC:8010 NIIN:00-597-8229 **MSDS Number: BFHDB** === Responsible Party === Company Name: AMERON INDUSTRIAL COATINGS DIVISION Address:201 N BERRY ST City:BREA State:CA ZIP:92621-3904 Country:US Info Phone Num:714-529-4597 Emergency Phone Num:714-529-45 97 CAGE:09869 === Contractor Identification === Company Name: AMERON INDUSTRIAL COATINGS DIVISION Address:201 N BERRY ST Box:City:BREA State:CA ZIP:92621-3904 Country:US Phone:714-529-4597 CAGE:09869 Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN) CAS:8030-30-6 RTECS #:SE7555000 Fraction by Wt: 41.6% OSHA PEL:100 PPM Ingred Name: LEAD CHROMATE (OSHA PEL FOR LEAD FROM 29CFR 1910.1025),(CRO3 CEILING 0.1 MG/M3)

CAS:7758-97-

6 RTECS #:GB2975000 Fraction by Wt: 0.5% OSHA PEL:0.05 MG/M3 (PB) ACGIH TLV:0.05MG/M3(CR)A2;8990

Effects of Overexposure: ANESTHETIC, IRR. OF RESPIRATORY TRACT OR ACUTE NERVOUS SYS. DEPRESSION, EYE & SKIN IRRITATION First Aid: IN CASE OF CONTACT-FLUSH SKIN AND EYES WITH WATER AND REMOVE CONTAMINATED CLOTHING. IF INHALED-REMOVE TO FRESH AIR. CALL A PHYSICIAN IF CONDITIONS PERSIST. Flash Point:85F TCC Lower Limits:1.1 Extinguishing Media: SMALL FIRES-CARBON DIOXIDE OR DRY CHEM. LARGE **FIRES-FOAM** Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS FOR FIREMEN Unusual Fire/Explosion Hazard: CLOSED CONTAINERS EXPOSED TO HEAT MAY **EXPLODE** Spill Release Procedures: REMOVE ALL SOURCES OF IGNITI ON. AVOID BREATHING VAPORS. REMOVE INERT ABSORBENT AND NON-SPARKING TOOLS. Handling and Storage Precautions: DO NOT STORE ABOVE 120F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS ONE FLAMMABLES. Other Precautions: CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE-FALL OF LIQUID IN EXCESS OF A FEW INCHES. Respirato

ry Protection: USE NIOSH APPROVED PAINT RESPIRATOR OR AIR SUPPLIED RESPIRATOR Ventilation: PROVIDE GENERAL DILUTION OR LOCAL EXHAUST AS NECESSARY Supplemental Safety and Health RESPIRATOR USE BASED ON CHEM CONC. AND CONDITION OF USE. HCC:F3 Boiling Pt:B.P. Text:311-373F Vapor Density:>1 Evaporation Rate & amp; Reference: SLOWER THAN ETHER Percent Volatiles by Volume:60.1 ====== Stability and Reactivity Data ==== _____ Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid: AVOID FIRE, HEAT AND HOT SURFACES Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Ame rica in no manner whatsoever.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.