

AMERICAN WRITING INK CO, INC -- O-T-620,TYPE 3 -- 8010-00-616-9588
===== Product Identification =====

Product ID:O-T-620,TYPE 3
MSDS Date:01/01/1985
FSC:8010
NIIN:00-616-9588
MSDS Number: BFJDG
=== Responsible Party ===
Company Name:AMERICAN WRITING INK CO, INC
Emergency Phone Num:617-482-9167
CAGE:82956
=== Contractor Identification ===
Company Name:AMERICAN INK AND OIL CORP
Address:33 ENDICOTT S
TREET
Box:City:NORWOOD
State:MA
ZIP:02062-3006
Country:US
Phone:781-762-0026 / FAX: 781-762-1617
CAGE:82956

===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Fraction by Wt: 94.5%
OSHA PEL:350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

===== Hazards Identification =====

Effects

of Overexposure:ANESTH EFFECTS, SKIN/EYE IRRIT, CARDIAC IRRIT

===== First Aid Measures =====

First Aid:FLUSH SKIN/EYES W/WATER. ARTIF RESP, REMOVE TO FRESH AIR.
INGEST: INDUCE VOMIT, CALL MD.

===== Fire Fighting Measures =====

Lower Limits:8.0
Upper Limits:10.5
Extinguishing Media:WATER-FOG
Fire Fighting Procedures:SELF-CNTND RESP APPARATUS
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PROT EQUIP. MOP UP IMMED. REMOVE TO
OUTDOORS. LG SPILLS: EVACUATE AREA, CONTAIN LIQ & TRANSFER TO
CLOSED METAL CNTNRS. KEEP OUT OF WATER SUPPLY.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY, COOL AREA

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF-CNTND BRTHNG APPARATUS
Ventilation:GEN OR LOCAL
Eye Protection:GLASSES
Other Protective Equipment:EYEWASH STATIONS/SAFETY SHOWERS READILY
AVAILABLE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4
Boiling Pt:B.P. Text:165F, 74C
Vapor Pres:100
Vapor Density:4.55
Spec Gravity:1.319
Solubility in Water:NEGLIGIBLE
Appearance and Odor:COLORLESS LIQ
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YE

S

AVOID WATER

Stability Condition to Avoid:OPEN FLAMES, HI-TEMP AREAS

Hazardous Decomposition Products:EVOLUTION OF HYDROGEN CHLORIDE FROM
THERMAL DEGRADATION

===== Disposal Considerations =====

Waste Disposal Methods:SEND SOLVENT TO RECLAIMER

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expres

sly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.