View NSN Online: https://aerobasegroup.com/nsn/8030-00-753-5005

GOAL CHEMICAL SEALANTS CORP. -- GC-408 CLASS B -- 8030-00-753-5005

============ Product Identification ==============

Product ID:GC-408 CLASS B MSDS Date:01/01/1985

FSC:8030

NIIN:00-753-5005

MSDS Number: BFNHQ === Responsible Party ===

Company Name: GOAL CHEMICAL SEALANTS CORP.

Emergency Phone Num:(213) 269-0461

CAGE:04011

=== Contractor Identification ===

Company Name: GOAL CHEMICAL SEALANTS CORP

Address:3137 E 2

6TH ST

Box:City:LOS ANGELES

State:CA

ZIP:90023-4206 Country:US

Phone:213-269-0461

CAGE:04011

======= Composition/Information on Ingredients ========

Ingred Name:POLYSULFIDE POLYMER(LP-POLYSULFIDE POLYMER)

Fraction by Wt: 57.5%

Ingred Name: CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000 Fraction by Wt: 30.3%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 11.1%

OSHA PEL:15

ACGIH TLV:10 MG/M3 TDUST; 9293
Ingred Name:STEARIC ACID CAS:57-11-4 RTECS #:WI2800000 Fraction by Wt: 0.7%
Ingred Name:THIRAM (SARA III) CAS:137-26-8 RTECS #:JO1400000 Fraction by Wt: 0.16% OSHA PEL:5 MG/M3 ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS
========= Hazards Identification ===========
Effects of Overexposure:MAY CAUSE SKIN OR EYE IRRITATION UPON CONTACT
======================================
Firs t Aid:WASH HANDS THOROUGHLY. FLUSH EYES COPIOUSLY W/WATER. GIVE EMETIC IF INGESTED.
======================================
Flash Point:400F 0C Extinguishing Media:WATER, CO*2, FOAM, DRY CHEMICAL Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======= Accidental Release Measures =========
Spill Release Procedures:MFR RECM SCRAPE UP & CLEAN W/ SOLVENTS
============ Handling and Storage ==============

MG/M3 TDUST

Handling and Storage Precautions:WASH HANDS THOROUGHLY AFTER HANDLING. DO NOT INGEST. STORE INDOORS BELOW 80F. Other Precautions:NONE	
====== Exposure Controls/Personal Protection ========	
Respiratory Protection:NONE REQUIRED Ventilation:SUFFICIENT Protective Gloves:RECOMMENDED Eye Protection:RECOMMENDED Other Protective Equipment:NONE Supplemental Safety and Health PART A OF TWO PART PRODUCT(BASE INGREDIENTS OF SYNTHETIC RUBBER SEALING COMPOUND). TYPE II,CLASS B-2/ UNIDEN TIFIED INGREDIENTS:0.24%. KEY1:N1.	
======================================	
HCC:N1 Boiling Pt:B.P. Text:400F,180COC Spec Gravity:1.5 Solubility in Water:MEGLIGIBLE Appearance and Odor:OFF WHITE TO GRAY SEMI-SOLID	
======================================	
Stability Indicator/Materials to Avoid:YES STRONG BASES & OXIDIZING AGENTS Stability Condition to Avoid:STORE BELOW 80F Hazardous Decomposition Products:SO*2,H*2S, OTHER SULFUR COMPO UNDS	
========== Disposal Considerations =============	
Waste Disposal Methods:DISPOSE IAW FED., STATE & LOCAL CODES	

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should see

k competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.