

ESSEX CHEMICAL CORP. -- PRO-SEAL 895 B -- 8030-00-782-1420

=====
Product Identification
=====

Product ID:PRO-SEAL 895 B

MSDS Date:01/01/1985

FSC:8030

NIIN:00-782-1420

MSDS Number: BFPGC

=== Responsible Party ===

Company Name:ESSEX CHEMICAL CORP.

Emergency Phone Num:213-537-7600

CAGE:83527

=== Contractor Identification ===

Company Name:ESSEX CHEMICAL CORP PRO-SEAL DIV

Address:19451 SUSANA RD

Box:C

City:COMPTON

State:CA

ZIP:90221-5713

Country:US

Phone:310-537-7600

CAGE:83527

=====
Composition/Information on Ingredients
=====

Ingredient Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 15%

OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE SKIN IRRITATION.

=====
First Aid Measures
=====

=====

First Aid:WASH THOROUGHLY AFTER HANDLING. INHALATION- MOVE TO FRESH AIR
INGESTION-CONSULT PHYSICIAN. EYES-FLUSH WITH COPIOUS AMOUNTS WATER

===== Fire Fighting Measures =====

Flash Point:230F-110C SETA
Extinguishing Media:CO2,FOAM,DRY CHEM
Fire Fighting Procedures:DO NOT USE WATER
Unusual Fire/Explosion Hazard:CONTAINS VOLATILC

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP WITH SOLVENT
OR RAGS

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLOSED CONTANERS BELOW 80F.
AVOID OPEN FLAMES AND SPARKS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE WITH ADEQUATE VENTILATION.
Ventilation:RECOMMEND LOCAL EXHAUST. MECHANICAL IS DESIRABLE
Protective Gloves:RECOMMEND
Eye Protection:RECOMMEND
Other Protective Equipment:APRONS, COVERALLS
Supplemental Safety and Health
KEY1
:N1.

===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:1.5
Solubility in Water:NEGLIGIBLE
Appearance and Odor:ALUMINUM PASTE-SULFIDE ODOR
Percent Volatiles by Volume:15

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH STATE, LOCAL OR FEDERAL
REGULATIONS.

Disclaimer (provided w

ith this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.