

CLIFTON ADHESIVES,INC. -- MMM-A-121 -- 8040-00-809-8252

===== Product Identification =====

Product ID:MMM-A-121

MSDS Date:01/01/1987

FSC:8040

NIIN:00-809-8252

MSDS Number: BFQGY

=== Responsible Party ===

Company Name:CLIFTON ADHESIVES,INC.

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

CAGE:79833

=== Contractor Identification ===

Company Name:CLIFTON ADHESIVE INC

Address:

s:BURGESS PL

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Information on Ingredients =====

Ingred Name:PIGMENTS METALLIC OXIDES-1%

Ingred Name:VEHICLE

Ingred Name:SOLVENTS

Ingred Name:ADDITIVE PHENOLIC RESIN

===== Hazards Identification =====

E

Effects of Overexposure: NARCOSIS AND/OR POSSIBLE HEADACHE OR BRONCHIAL CATARRH

=====
First Aid Measures
=====

First Aid: FRESH AIR-CONTACT MD. IMMED.

=====
Fire Fighting Measures
=====

Flash Point: 15F, TAG CC; -9.4C

Lower Limits: 1.2

Upper Limits: 13

Extinguishing Media: DRY CHEM. CO*2, FOAM, TRICHOETHANE

Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN.

Unusual Fire/Explosion Hazard: KEEP AWAY FROM OPEN FLAME, SPARKS, HOT SURFACES AND OXIDIZERS.

=====
Accidental Release Measures
=====

Spill Release Procedures: WIPE UP IMMEDIATELY

=====
Handling and Storage
=====

Handling and Storage Precautions: DO NOT STORE NEAR HEAT OR IN DIRECT SUNLIGHT. STORE IN SOLVENT STORAGE AREA.

Other Precautions: NONE

=====
Exposure Controls/Personal Protection
=====

Ventilation: LOCAL EXHAUST

Protective Gloves: YES

Eye Protection:

SAFETY GLASSES

Other Protective Equipment: HAND CREAM

Supplemental Safety and Health

TOLUOL-XS5250000-17%; HEXOUE-MN92750-50%; ACETONE-AL3150-23%; METHYL ETHYL KETONE-EL647500-10%

=====
Physical/Chemical Properties
=====

Boiling Pt: B.P. Text: 132F; 55.6C

Vapor Pres: 59M

Vapor Density: 0.75

Spec Gravity: 0.8

Solubility in Water: NEGLIGIBLE

Appearance and Odor: OFF WHITE KETONE AND NAPHTHA ODOR.

Percent Volatiles by Volume: 88

=====
Stability and Reactivity
=====

ty Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: H₂O, PHENOL, CO, CO₂, AMMONIA, CHLORINE GAS

===== Disposal Considerations =====

Waste Disposal Methods: SOLVENT DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.