View NSN Online: https://aerobasegroup.com/nsn/6850-00-874-5847

OCTAGON PROCESS,INC. -- O-W-001284,WATER DISPLACING,COMPOUND -- 6850-00-874-5847

============ Product Identification ==============

Product ID:O-W-001284,WATER DISPLACING,COMPOUND

MSDS Date:01/01/1985

FSC:6850

NIIN:00-874-5847

MSDS Number: BFTKM === Responsible Party ===

Company Name: OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Info Phone Num:201-945-9400

Emergenc

y Phone Num:201-945-9400

CAGE:DO973

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

Company Name: OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Phone:201-945-9400

CAGE:DO973

======= Composition/Information on Ingredients ========

Ingred Name: N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO1400000

Fraction by Wt:

98.8% OSHA PEL:100 PPM ACGIH TLV:S, C 50 PPM; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
Ingred Name:BARIUM DINONYLNAPTHALENE SULFONATE Fraction by Wt: 1.0%
Ingred Name:ANTIOXIDNT Fraction by Wt: 0.25%
========== Hazards Identification ============
Effects of Overexposure:MAY BE ABSORBED THROUGH SKIN.
======================================
First Aid:IF SPILLED ON SKIN.WASH THOROUGHLY.FOR EYES WASH WITH WATER FOR 15 MINUTES.GET MED ICAL ATTENTION
======================================
Flash Point:141F CC Lower Limits:1.1 Upper Limits:12.1 Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ===========
Spill Release Procedures:WASH INTO APPROVED STORAGE CONTAINER FOR COMBUSTIBLE LIQUIDS.
============ Handling and Storage ==============
Handling and St orage Precautions:NORMAL STORAGE IN A COOL DRY PLACE Other Precautions:STORE AWAY FROM OXIDIZING MATERIAL
====== Exposure Controls/Personal Protection ========
Ventilation:AS REQUIRED TO CONTROL TLV IN AIR Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Supplemental Safety and Health THE ITEM IS TYPE II CLASS I IN FEDERAL SPECIFICATION OW001
======================================
HCC:V4
============ Stability and Reactivity Data ====

Stability	Indicator/Materials to Avoid:YES	

======= Disposal Considerations ==========

Waste Disposal Methods: WASH DOWN WITH WATER & STORE INTO APPROVED STORAGE CONTAINER FOR COMBUSTIBLE LIQUIDS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.