

FILTRON CO. -- FSC-W25B2 -- 5915-00-944-7670

===== Product Identification =====

Product ID:FSC-W25B2

MSDS Date:01/01/1985

FSC:5915

NIIN:00-944-7670

MSDS Number: BFYPH

=== Responsible Party ===

Company Name:FILTRON CO.

Emergency Phone Num:516 752 1144

CAGE:MO334

=== Contractor Identification ===

Company Name:FILTRON CO INC

Address:148 SWEET HOLLOW RD

Box:City:OLD BETHPAGE

State:NY

ZIP:11804-1315

Co

Country:US

Phone:914-699-2000

CAGE:81831

Company Name:FILTRON CO.

CAGE:MO334

===== Composition/Information on Ingredients =====

Ingred Name:POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

===== Hazards Identification =====

Effects of Overexposure:MAY CAUSE IRRITATION TO EYES, NOSE AND THROAT  
AND A SKIN RASH MAY INJURE LIVER

===== First Aid Measures =====

=====

First Aid:EYES:FLUSH W/WATER IMMED. SKIN:WASH W/SOAP IMMED. INHAL  
REMOVE TO FRESH AIR, RESPIR. AS NEEDED INGEST:MEDICAL ATTN. GIVE  
LARGE QTY OF WATER. INDUCE VOMITING, BUT DO NOT MAKE UNCONSCIOUS  
PERSON VOMIT.

===== Fire Fighting Measures =====

Extinguishing Media:FOAM, DRY CHEMICAL,CARBON DIOXIDE  
Fire Fighting Procedures:DO NOT USE WATER, WEAR RESPIRATOR AND  
PROTECTIVE CLOTHING  
Unusual Fire/Explosion Hazard:TOXIC GASES AND VA  
PORS I.E HYDROGEN  
CHLORIDE CARBON MONOXIDE

===== Accidental Release Measures =====

Spill Release Procedures:PERSONS NOT WEARING PROTECTIVE EQUIPMENT  
SHOULD BE RESTRICTED. REMOVE ALL IGNITION SOURCES. VENTILATE SPILL  
AREA. COLLECT FOR RECLAMATION OR ABSORB W/DRY POWDERED CLAY OR SAND

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA  
REQUIREMENTS  
Other Precautions:CHL  
ORODIPHENYL WILL ATTACK SOME FORMS OF  
PLASTIC,RUBBER AND COATINGS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE, HELMET OR HOOD  
Ventilation:LOCAL EXHAUST  
Protective Gloves:IMPERV GLOVES  
Eye Protection:GOGGLES, FACE SHIELD  
Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT  
Supplemental Safety and Health  
OVEREXPOSURE MAY CAUSE FORMATION OF CYSTS, STILLBIRTHS. EYES,NOSE, AND  
THROAT IRRITATION.

=====

=====  
Physical/Chemical Properties  
=====

HCC:Z3

Appearance and Odor:PALE YELLOW VISCOUS LIQUID W/HYDROCARBON ODOR

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS MAY CAUSE FIRES AND EXPLOSIONS

Stability Condition to Avoid:HEAT

Hazardous Decomposition Products:TOXIC GASES AND VAPORS I.E. HYDROGEN  
CHLORIDE CARBON MONOXID

=====  
Disposal Considerations  
=====

Waste Disposal Methods:ABSORBED MATERIAL DISPOSED OF IN SANITARY  
LANDFILL. CONTAMINATED CLOTHS SHOULD BE PLACED IN CLOSED CONTAINER  
TO DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.