

EASTMAN KODAK CO. -- 1216951 DACOMATIC DR-5 BLCH&RPLSH R-NEWFORM --  
6750-01-066-3215

=====  
===== Product Identification =====

Product ID:1216951 DACOMATIC DR-5 BLCH&RPLSH R-NEWFORM

MSDS Date:07/30/1984

FSC:6750

NIIN:01-066-3215

MSDS Number: BGKBS

=== Responsible Party ===

Company Name:EASTMAN KODAK CO.

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
===== Composition/Information on Ingredients =====

Ingred Name:SULFAMIC ACID, WT% RANGE 15-20%

CAS:5329-14-6

RTECS #:WO5950000

Fraction by Wt: 17.0%

Ingred Name:SODIUM DICHROMATE, WT% RANGE 1-5%

CAS:10588-01-9

RTECS #:HY7700000

Fraction by Wt: 3%

OSHA PE

L:0.205 MG(MR)/CUM REL  
ACGIH TLV:0.05 MG(CR /CUM  
EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingrid Name:WATER, WT% RANGE 75-80%  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 80%

=====  
===== Hazards Identification =====

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:BURNA, ALLERGIC REACTIONS.  
Explanation of Carcinogenicity:SODIUM DICHRDMATE IS TUMORIGEN AND  
ANIMAL INDEFINITE CARCINOGEN.  
Medical Cond Aggravated by Exposure  
:ANY PREEXISTING ALLERGY OR  
SENSITIVITY.

=====  
===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.R EMOVE & LAUNDER CONTMNTD CLOTHG/SHOES  
BEFORE RE-US

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media  
:CO\*2,DRY CHEM  
Fire Fighting Procedures:USE SELF-CONTND BRTHG APP;COOL EXPOSD CONT  
W/WATER SPRAY.  
Unusual Fire/Explosion Hazard:NONE KNOWN

=====  
===== Accidental Release Measures =====

Spill Release Procedures:WEAR FULL PROTECTIVE CLOTHING.DO NOT TOUCH  
DAMAGED CONTAINER OR SPILLAGE. IF CONTAINER LEAKING,COVER W DAMP  
TOWEL KEPT WET W LIQUID BLEACH. SPILLS:DIKE FOR LATER DISPOSAL  
CLEAN UP UNDER DIRECTION OF E XPERT.CONTACT  
CDC(404-633-5313)ATLANTA,GA.

=

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID CONTACT W/CLOTHING AND OTHER COMBUSTIBLES.

Other Precautions:WARNING:CAUSES BURNS.MAY CAUSE ALLERGIC SKIN REACTION.AVOID CONTACT W EYES,SKIN & CLOTHING.

=====  
Exposure Controls/Personal Protection  
=====

Ventilation:LOCAL EXHAUST:NONE SHOULD BE NEEDED; MECH(GEN):RECOMMENDED.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment

:AS NEEDED BY LOCAL AUTHORITIES.

Work Hygienic Practices:REMOVE AND WASH ALL CONTAMINATED CLOTHING THOROUGHLY.

Supplemental Safety and Health

NEW FORMULA ENTRY PER MSDS #84-0061 DATED 30JUL84. SEE PNI=A FOR MATERIAL MANUFACTURED BEFORE JULY84.KEY1:C4.

=====  
Physical/Chemical Properties  
=====

HCC:C4

Boiling Pt:>100.C, 212.F

Vapor Pres:18

Vapor Density:0.6

Spec Gravity:1.14

pH:2.0

Evaporation Rate & Reference:0.4 (BUAC=1)

Solubility in Water:COMPLETE

Appearance

and Odor:AMBER SOLUTION,ODORLESS

Percent Volatiles by Volume:80

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

ALKALIS, COMBUSTIBLE MATERIALS.

Stability Condition to Avoid:UNK

Hazardous Decomposition Products:NONE KNOWN

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DISPOSE VIA LICENSED DISPOSAL FACILITY OR CHEMICALLY TREAT LAW ALL LAWS & REGS. DO NOT FLUSH TO WATERWAYS OR

## SEWER SYSTEM.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.