

MOBIL OIL CORPORATION -- AVREX S TURBO 260 -- 9150-01-144-3803

===== Product Identification =====

Product ID:AVREX S TURBO 260

MSDS Date:03/19/1988

FSC:9150

NIIN:01-144-3803

MSDS Number: BGNSY

=== Responsible Party ===

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037

Info Phone Num:703-849-3265 (SHIRLEY CASTILLO)

Emergency Phone Num:212-883-4411

CAGE:1G112

=== Contractor Identification ===

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037-0001

Phone:(703) 846-1482

CAGE:1G112

===== Composition/Information on Ingredients =====

Ingred Name:SYNTHETIC OILS

Fraction by Wt: 90%

OSHA PEL:5MG/M\*3(OIL MIST)

ACGIH TL

V:5MG/M\*3(OIL MIST)

Ingred Name:ADDITIVES AND OTHER INGREDIENTS

Fraction by Wt: 10%

Ingred Name:ANILINE (SARA III)

CAS:62-53-3

RTECS #:BW6650000

Fraction by Wt: 0.0001%

OSHA PEL:S, 5 PPM

ACGIH TLV:S, 2 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL RAT=15G/KG

Routes of Entry: Inhalation:NO Skin:UNKNOWN Ingestion:NO

Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF  
OVEREXPOSURE

Effects of Overexposure:SLIGHT SKIN IRRITATION.

Medical Cond Aggravated by Exposure:NONE NOTED

=====  
===== First Aid Measures =====

First Aid:EYES:FLUSH WITH WATER. SKIN:WASH WITH SOAP AND WATER.

INHALATION:NOT EXPECTED TO BE A PROBLEM. INGESTION:NOT EXPECTED TO  
BE A PROBLEM WHEN INGESTED. IF UNCOMFORTABLE SEEK MEDICAL  
ASSISTANCE.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:455F(235C)

L

Lower Limits:0.6

Upper Limits:7.0

Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.

Fire Fighting Procedures:WEAR SCBA IN ENCLOSED AREAS. USE WATER TO KEEP  
FIRE EXPOSED CONTAINERS COOL. USE WATER SPRAY TO FLUSH SPILLS.  
PREVENT RUNOFF FROM ENTERING STREAMS,DRINKING WTR.

Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB IN INERT MATERIAL. SHOVEL UP AND PLACE  
IN APPROPRIATE DI

SPOSAL CONTAINER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP  
CONTAINERS TIGHTLY CLOSED

Other Precautions:NONE NOTED BY MFR.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.

Protective Gloves:AS REQUIRED

Eye Prot

ection:AS REQUIRED

Other Protective Equipment:NONE

Work Hygienic Practices:WASH AFTER HANDLING. REMOVE CONTAMINATED  
CLOTHING

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:600F(316C)

Vapor Pres:0.1

Spec Gravity:1

Viscosity:27.8 CS @100F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER LIQUID,MILD ODOR.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials t

o Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:EXTREME HEAT.

Hazardous Decomposition Products:CARBON MONOXIDE/CARBON DIOXIDE.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT IS SUITABLE FOR BURNING IN ENCLOSED  
CONTROLLED BURNER OR DISPOSAL BY SUPERVISED INCINERATION. PRODUCT  
IS SUITABLE FOR REPROCESSING IN APPROVED RECYCLING FACILITY.  
BURNING MAY BE LIMITED BY RCR A. COMPLY WITH FEDERAL,STATE AND  
LOCAL REGULA

## TIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.