

MCGEAN-ROHCO,INC. -- ALKALUME DIOXIDANT DSF -- 6850-01-193-9837

=====
Product Identification
=====

Product ID:ALKALUME DIOXIDANT DSF
MSDS Date:03/19/1986
FSC:6850
NIIN:01-193-9837
MSDS Number: BGQGW
==== Responsible Party ====
Company Name:MCGEAN-ROHCO,INC.
Address:38521 SCHOOLCRAFT AVENUE
City:LIVONIA
State:MI
ZIP:48150
Country:US
Info Phone Num:313-872-1800
Emergency Phone Num:(313) 872-1800
Prepa
rer's Name:M. ARTHUR DETRISAC
CAGE:EO051

==== Contractor Identification ====
Company Name:MCGEAN-ROHCO INC
Address:38521 SCHOOLCRAFT AVE
Box:City:LIVONIA
State:MI
ZIP:48150-1031
Country:US
Phone:216-441-4900;734-464-2330
CAGE:5K793
Company Name:MCGEAN-ROHCO,INC.
Address:9520 E CEE BEE DR
Box:NONE
City:DOWNEY
State:CA
ZIP:90241-5501
Country:US
Phone:213-803-4311
CAGE:EO051

=====
Composition/Information on Ingredients
=====

Ingred Name:DISODIUM SILICO FLUORIDE
CAS:16893-85-9
RTEC

S #:VV8410000
Fraction by Wt: 03.1%
OSHA PEL:2.5 MG/M3 (F)
ACGIH TLV:2.5 MG/M3 (F); 8990

Ingred Name:CHROMIC ACID (SARA III)
CAS:7738-94-5
RTECS #:GB2450000
Fraction by Wt: 06.0%
OSHA PEL:0.1 MG CRO3/M3;CEILG
ACGIH TLV:0.05 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES
Health Hazards Acute and Chronic:ACUTE:PRIMARY SKIN AND EYE IRRITANT.
CHRONIC:NO DATA AVAILAB
LE (MIXTURE).
Explanation of Carcinogenicity:CHROMIC ACID MAY CONTAIN CHROMIUM(VI) AS
CR, A HUMAN CARCINOGEN.
Effects of Overexposure:SEE HEALTH HAZARDS DATA.
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE (MIXTURE)

=====
First Aid Measures
=====

First Aid:EYES/SKIN:FLUSH WITH PLENTY OF WATER FOR ATLEAST 15
MINUTES.COVER SKIN WITH MAGNESIUM OXIDE & GLYCERINE.IF IRRIT
PERSISTS GET MED ASSISTANCE IMMEDIATELY; INGEST:GIVE A GLASS OF
MIL
K OR LIME WATER.GET MED ATTN IMMEDIATELY;FOR BREATHING GET MED
ATTN.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL
CONTR.
Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROTECTIVE EQUIP.SWEEP UP DRY

MATL &

SHOVEL UP INTO DISPOSAL CONTAINER. SOLUTIONS SHOULD BE NEUTRALIZED WITH SLAKED LIME SLURRY OR CAUSTIC. PRECIPITATE HEAVY METALS BEFORE DISCHARGING.

=====
Handling and Storage
=====

Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE. AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions: AVOID BREATHING DUST.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection: USE DUST MASK FOR DUST

Ventilation: LOCAL EXHAUST

Protective Gloves: NEOPRENE

Eye Protection: GOGGLES

Other Protective Equipment: NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

MSDS FROM MCGEAN-ROHCO DATE 3/19/86 (REVISED).

=====
Physical/Chemical Properties
=====

HCC: C1

Solubility in Water: COMPLETE

Appearance and Odor: TAN COLORED POWDER

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: MOIST CONDITIONS.

Hazardous Decomposition Products: MAY EMIT OXIDES OF CHROMIUM, & FLUORINE IN COMBUSTION

=====
Disposal Considerations
=====

Waste Disposal Methods: NEUTRALIZE SOLUTION IF IN LIQUID FORM WITH SLAKED LIME SLURRY OR CAUSTIC. DISCHARGE NEUTRALIZED WASTE I/A/W FED, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the c

compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.