View NSN Online: https://aerobasegroup.jp/nsn/6850-00-926-5298

HOCKING INTERNATIONAL CHEMICAL CORP. -- MIL-C-10578; CORROSION REMOVING COMPOUND

-- 6850-00-926-5298

Product ID:MIL-C-10578; CORROSION REMOVING COMPOUND

MSDS Date:12/28/1988

FSC:6850

NIIN:00-926-5298

MSDS Number: BGTKL === Responsible Party ===

Company Name: HOCKING INTERNATIONAL CHEMICAL CORP.

Address:2121-HOOVER AVE

City:NATIONAL CITY

State:CA

ZIP:92050-6529

Count ry:US

Info Phone Num:619-474-8457

Emergency Phone Num:619-474-8457

CAGE:60930

=== Contractor Identification ===

Company Name: HOCKING INTERNATIONAL CHEMICAL CORP

Address:2121 HOOVER AVE Box:City:NATIONAL CITY

State:CA ZIP:92050 Country:US

Phone:619-474-8457

CAGE:60930

======= Composition/Information on Ingredients ========

Ingred Name:PHOSPHORIC ACID (SARA III)

CAS:7664-38-2

RTECS #:TB6300000 Fraction by Wt: 30.0%

OSHA PEL:1 MG/M3/3 STEL

ACGIH TLV:1 MG/M3/3 STEL; 9192

EPA Rpt Qty:

5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: WATER SOFTNERS Ingred Name: ALKALINE BUILDERS Ingred Name: SURFACTANTS (NOT SPECIFIED) Ingred Name: INHIBITORS ============ Hazards Identification ================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE:CORROSIVE TO ALL BODY TISSUES;SEVERE BURNS,IRRITATION TO EYES AND SKIN;IRRITATION OF NOSE, THROAT AND RESPIRATORY TRACT; INGESTION MAY CAUSE G.I. IRRITATION.CHRONIC:NO D ATA IS GIVEN. Effects of Overexposure: SEE HEALT HAZARDS DATA. First Aid:EYES:FLUSH WITH WATER FOR ABOUT 15 MINUTES;CONSULT A PHYSICIAN. SKIN:WASH THOROUGHLY USING PLENTY OF WATER;SEEK MEDICAL HELP IF NEEDED. INHALATION: REMOVE TO FRESH AIR; SUPPLY OXYGEN IF NEEDED. INGESTIO N:DO NOT INDUCE VOMITING; CALL A PHYSICIAN IMMEDIATELY. Flash Point:NO Extinguishing Media:DRY CHEMICAL, FOAM, CO*2, WATER SPRAY. Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED Unusual Fire/Explosion Hazard: TOXIC VAPORS ON DECOMPOSITION; WITH METAL HYDROCARBON MAY BE PRODUCED WHICH MAY FORM FLAMMABLE MIXTURES WITH

AIR.

========= Accidental Release Measures ================

Spill Release Procedures: USE PROPER PERSONAL PROTECTION; CONTAIN FREE LIQUID; USE SODA ASH; DILUTE WITH WATER AND RECOVER FOR PROPER DIS

POSAL.
Neutralizing Agent:SODA ASH.
============ Handling and Storage ============
Handling and Storage Precautions:STORE IN COOL,DRY AND WELL VENTILATED AREA;PROTECT CONTAINERS FROM LEAKAGE OR PHYSICAL DAMAGE.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR AN ACID MIST/VAPOR IF ABOVE TLV/PEL. Ventilation:LOCAL/GENERAL TO MAINTAIN PEL/TLV. Protective Gloves:RUBBER. Eye Protection:C HEMICAL GOGGLES OR FACE SHIELD. Other Protective Equipment:RUBBER BOOTS,EYE-WASH FACILITIES. Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPOR/MIST.WASH THOROUGHLY AFTER EACH USE. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:C1 Boiling Pt:B.P. Text:275F/135C Vapor Pres:5.68 Spec Gravity:1.25 Solubility in Water:100%;COMPLETE Appearance and Odor:LIGHT AMBER COLOR WITH MILD FRAGRANT ODOR. Percent Volatiles by Volume:60.0
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES MILD STEEL,COPPER,BRASS AND BRONZE. Stability Condition to Avoid:WILL FREEZE LOW TEMPERATURES-0.5F. Hazardous Decomposition Products:OXIDES OF PHOSPHORUS.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.
Disclaimer (provided with this

information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.