View NSN Online: https://aerobasegroup.com/nsn/8030-00-087-8630

## 

Product ID:ANTI-SEIZE COMPOUND

MSDS Date:12/05/1985

FSC:8030

NIIN:00-087-8630

MSDS Number: BGZXY === Responsible Party ===

Company Name: ARMITE LABORATORIES

Address:1845 RANDOLPH ST.

City:LOS ANGELES

State:CA ZIP:90001

Info Phone Num:(213) 587-7744

Emergency Phone Num: (213) 587-7744

Preparer's Name:J.
H. ARMINGTON

CAGE:84180

=== Contractor Identification ===

Company Name: ARMITE LABORATORIES

Address:1845 RANDOLPH ST Box:City:LOS ANGELES

State:CA

ZIP:90001-1435 Country:US

Phone:213-587-7744

CAGE:84180

======= Composition/Information on Ingredients ========

Ingred Name: MOLYBDENUM DISULFIDE

CAS:1317-33-5

RTECS #:QA4697000 Fraction by Wt: 48-52%

OSHA PEL:10 MG/M3 TDUST (MO) ACGIH TLV:10 MG/M3 (MO); 8990

Ingred Name: MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

**RTECS** 

OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3/10 STEL;9192
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NONE
======================================
First Aid:EYES: WASH WELL. SKIN: REMOVE BY WIPING, FOLLOW W/SOAP & WATER. INGESTION: DON'T INDUCE VOMITING, CALL PHYSIC IAN.
======================================
Flash Point Method:COC Flash Point:400F Extinguishing Media:FOAM, CO2, DRY CHEMICAL Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:WIPE AS GREASE. TAKE UP W/CLAY, PUMICE ETC.
======================================
Handling and Storage Precautions: NORMAL - PREFER UNDER 125F.
====  Exposure Controls/Personal Protection ====================================
Supplemental Safety and Health
======== Physical/Chemical Properties =========
Boiling Pt:B.P. Text:300F Solubility in Water:NONE Appearance and Odor:BLACK; NO ODOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
======== Disposal Considerations ===========
Waste Disposal Methods:DISPOSE AS GREASE.
Disclaimer (provided

#:PY8030000

Other REC Limits:10 MG/CUM STEL

with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.