

DESOTO INC -- SD ANTI-CHAFE DN3635 GRAY 822T200 -- 8010-00-330-7704

===== Product Identification =====

Product ID:SD ANTI-CHAFE DN3635 GRAY 822T200

MSDS Date:04/26/1989

FSC:8010

NIIN:00-330-7704

MSDS Number: BGZZR

=== Responsible Party ===

Company Name:DESOTO INC

Address:1700 S MOUNT PROSPECT

Box:5030

City:DES PLAINES

State:IL

ZIP:60017

Info Phone Num:(312) 391-9000

Emergency Phone Num:(312) 391-9000

Preparer's Name:SHERRIE M. STEVENSON

CAGE:62758

=== Contractor Identification ===

Company Name:DESOTO INC

Address:1700 S MT PROSPECT RD

City:DES PLAINES

State:IL

ZIP:60018-1804

Country:US

Phone:708-391-9000

CAGE:62758

Company Name:DESOTO INC PACIFIC PLANT IS COURTLANDTS AEROSPACE

Address:1608 4TH ST

Box:City:BERKELEY

State:CA

ZIP:94710

Country:US

Phone:800-228-5635 /800-424-9300 CHEMTREC

CAGE:85570

===== Composition/Information on Ingredients =====

Ingred Name:BUTYL ACET

ATE (N-BUTYL ACETATE)

CAS:123-86-4

RTECS #:AF7350000

Fraction by Wt: 10%

Other REC Limits:150 PPM

OSHA PEL:700 MG/CUM

ACGIH TLV:713 MG/CUM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:HEXONE, METHYL ISOBUTYL KETONE (MIBK), 4-METHYL-2-PENTANONE

CAS:108-10-1

RTECS #:SA9275000

Fraction by Wt: 10%

Other REC Limits:50 PPM

OSHA PEL:100 PPM/75 STEL

ACGIH TLV:50 PPM/75 STEL; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL ACETATE

CAS:141-78-6

RTECS #:AH5425000

Fraction by Wt:

30%

Other REC Limits:400 PPM

OSHA PEL:1400 MG/CUM

ACGIH TLV:1400 MG/CUM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TITANIUM DIOXIDE, TITANIUM(IV) OXIDE, TIO₂

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 10%

OSHA PEL:15 MG/M³ TDUST

ACGIH TLV:10 MG/M³ TDUST; 9293

Ingred Name:ADDITIVES

Fraction by Wt: TLV OR IF SPRAY MIST IS PRESENT,

USE NIOSH/MSHA APPROVED RESPIRATOR. IN CONFINED AREAS USE

NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR.

Ventilation:GENERAL DILUTION OR LOCAL

EXHAUST IN VOLUME & PATTERN TO
KEEP AIR

Spec Gravity:1.12

Evaporation Rate & Reference:(N-BU AC = 1):