

JONES-HAMILTON COMPANY -- SODIUM BISULFATE -- 7930-00-559-9481

===== Product Identification =====

Product ID:SODIUM BISULFATE

MSDS Date:04/07/1986

FSC:7930

NIIN:00-559-9481

MSDS Number: BHDNH

=== Responsible Party ===

Company Name:JONES-HAMILTON COMPANY

Address:8400 ENTERPRISE DRIVE

City:NEWARK

State:CA

ZIP:94560

Country:US

Info Phone Num:419-666-9838

Emergency Phone Num:415-797-2471

CAGE:OMD27

=== Contractor Identification ===

Company Name:JONES-HAMILTON COMP

ANY

Address:8400 ENTERPRISE DRIVE

Box:City:NEWARK

State:CA

ZIP:94560

Country:US

Phone:415-797-2471

CAGE:OMD27

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM BISULFATE ANHYDROUS GLOBULAN

CAS:7681-38-1

RTECS #:VZ1860000

Fraction by Wt: 94.5%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:NOT L

ISTED

Effects of Overexposure:EYE: WATERING

SKIN: MILD BURNS, MILD TO SEVERE

IRRITANT INHAL: IRRITANT,

MILD BURNING SENSATION MAY OCCUR TO MUCOUS MEMBRANES &

UPPERRESPRITORY TRACT.; INGST: IRRITANT

===== First Aid Measures =====

First Aid:EYES: FLUSH THOROUGHLY W/WTR FOR 15 MINS. GET PROMPT MEDICAL
ATTENTION SKIN: FLUSH W/WTR FOR 15 MINS. IF BURNS OCCUR

OBTAIN MEDICAL ATTENTION INHAL: REMOVE TO FR

ESH AIR.INGST:

DRINK LG QTY OF WATER/MILK, FOLLOW W/MILK OF MAGNESIA, BEATEN EGGS
OR VEGETABLE OIL. DO NOT INDUCE VOMITING. CONTACT PHYSICIAN
IMMEDIATELY

===== Fire Fighting Measures =====

Flash Point:NR

Extinguishing Media:WATER OR DRY CHEMICAL AS APPROPRIATE FOR
COMBUSTIBLE IN AREA

Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS SHOULD BE
WORN. IF WTR IS USED TO EXTINGUISH COMBUSTIBLES & PRODUCTIS
DISSOLVED IN WTR FORMING
SULFURIC ACID USE PROTCT EQUIP

Unusual Fire/Explosion Hazard:PRODUCT READILY DISSOLVES IN WTR TO FORM
A WEAK SULFURIC ACID SOLUTION. NO GASESOR TOXIC FUMES ARE EMITTED
FROM THIS REACTION,TAKE PRECAUTIONS FROM EXPOSURE.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL:MATL IS A GRANULAR PRODUCT & CAN BE
SWEPT UPFROM SURFACES.;LARGE: PICK UP AS MUCH AS POSSIBLE W/SHOVEL
OR OTHER TOOL.NEUTRALIZE BALANCE OF SPILLW/WEAK ALKALINE SOL
UTION,&
WASH DOWN TO SEWER IF FEDERAL,STATE,& LOCAL REGULATION PERMIT.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT W/SKIN,EYES,OR CLOTHING.
DONOT STOREWHERE EXPOSED TO MOIST CONDITIONS. KEEP
CONTAINERSTIGHTLY CLOSED. KEEP AWAY FROM STRONG ALKALIES.

Other Precautions:WEAR ALL RECOMMENDED PROTECTIVE EQUIPMENT WHEN
HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Pro

tection:NIOSH OR MSHA CERTIFIED DUST MASK SHOULD BE WORN
WHILE HANDLING PRODUCT
Ventilation:LOCAL VENTILATION TO A DUST COLLECTOR IS RECOMMENDED
Protective Gloves:RUBBER OR NEOPRENE
Eye Protection:SAFETY GOGGLES OR FULL FACESHIELD
Other Protective Equipment:CLOTHES SHOULD COMPLETELY COVER SKIN TO
AVOID SKIN CONTACT. COATS, COVERALLS, OR APRONS ARE RECOMMENDED
Work Hygienic Practices:USE COMMON SENSE AND CARE AROUND CHEMICALS.
Supplemental Safety and Health
NK

===== Physica
l/Chemical Properties =====

Boiling Pt:B.P. Text:350F
Vapor Pres:NA
Vapor Density:NA
Evaporation Rate & Reference:NA
Solubility in Water:100
Appearance and Odor:OFF WHITE, BEAD LIKE, GRANULAR,DRY MATERIAL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT W/STRONG ALKALINE MATL SUCH AS CAUSTIC. REACTSW/WTR TO
FORM WEAK SULFURIC ACID SOLUTION
Stability Condition to Avoid:STORE IN DRY AREA TO AVOID M
OISTURE
CONTACT
Hazardous Decomposition Products:NONE UNLESS HEATED OVER 570F AT WHICH
SULFUR DIOXIDE,SULFUR TRIOXIDE ARE FORMED

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH ALL THE FEDERAL, STATE, AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner what

soever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.