View NSN Online: https://aerobasegroup.jp/nsn/6830-00-079-4694

## RACON INCORPORATED -- RACON 11,FREON 11,CFC-11,REFRIGERANT 11 -- 6830-00-079-4694

Product ID:RACON 11,FREON 11,CFC-11,REFRIGERANT 11

MSDS Date:04/07/1989

FSC:6830

NIIN:00-079-4694

MSDS Number: BHFXR === Responsible Party ===

Company Name: RACON INCORPORATED

Address:6040 S RIDGE RD

Box:198

City:WICHITA

State:KS ZIP:67201 Country:US

Info Phone Num:800-835-2916/316-5

24-3245

Emergency Phone Num:415-821-5338

Preparer's Name: VICE PRESIDENT OF MFRG

CAGE:KO001

=== Contractor Identification ===

Company Name: ELF ATOCHEM NORTH AMERICA (FORMERLY RACON INC)

Address:6040 S RIDGE RD

Box:198 City:WICHITA

State:KS ZIP:67201 Country:US

Phone: CALL COLLECT 415-821-5338

CAGE:2A580

Company Name: RACON INCORPORATED

Address:6040 S RIDGE RD

Box:198

City:WICHITA

State:KS ZIP:67201 Country:US

Phone:800-835-2916/316-524-3245

CAGE:KO001

====== Composition/Information on Ingr

1! 4	
DAIIDNIC	=========

Ingred Name:TRICHLOROFLUOROMETHANE (CFC-11) (SARA III)

CAS:75-69-4

RTECS #:PB6125000 Fraction by Wt: 100% OSHA PEL:1000 PPM

ACGIH TLV:C, 1000 PPM; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ozone Depleting Chemical:1

============ Hazards Identification =========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-EYES/SKIN:MILD IRRITATION. INH

ALATION:NARCOTIC EFFECTS,UNCONSCIOUSNESS,RAPID HEART BEAT.
INGESTION:IRRITATION. CHRONIC-SKIN:DEFATTING,CAN IRRITATE
DRY,SENSITIVE,SKIN. INHALATION:COORDINATION SYM PTOMS. CARDIAC
EFFECTS-CAPABLE OF SENSITIZING THE HEART TO INJECTED EPINEPHRINE.

Explanation of Carcinogenicity:NOT LISTED AS A CARCINOGEN BY NTP, IARC OR OSHA

Effects of Overexposure:EYES/SKIN:IRRITATION.
INHALATION:ASPHYXIATION,CARDIAC ARRHYTHMIAS. INGESTION:IRRITATION
TO GASTRIC OR DIGESTIVE TRACTS.

Medical

Cond Aggravated by Exposure:INDIVIDUALS WITH HEART OR RESPIRATORY DISORDERS MAY PROVE ESPECIALLY SUSCEPTIBLE.

First Aid:EYES/SKIN:FLUSH WITH WATER FOR AT LEAST 15 MINUTES.IF IRRITATION PERSISTS, SEE DOCTOR. INHALATION:REMOVE TO FRESH AIR.GIVE OXYGEN/CPR IF NEEDED.\*\*DO NOT GIVE STIMULANTS\*\*.SEE DOCTOR. INGESTION:IF LARGE QUANTITIES ARE INGESTED, GASTRIC EMPTYING MIGHT BE RECOMMENDED.SEE DOCTOR.

=========

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.  Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.  Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.  ===================================
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.
====== Accidental Release Measures ====
=======================================
Spill Release Procedures:VENTILATE ENCLOSED SPACES UNTIL GAS IS DISPERSED.USE RESPIRATOR AND PROTECTIVE CLOTHING.ABSORB IN INERT MATERIAL AND PLACE IN APPROPIATE DISPOSAL CONTAINER AND SEAL.FLUSH AREA WITH LARGE AMOUNTS OF WA TER. Neutralizing Agent:NONE
========== Handling and Storage ===========
Handling and Storage Precautions:STORE AND USE WITH ADEQUATE VENTILATION. NEVER USE IN A CLOSED OR CONFINED SPACE. STORE IN COOL PLACE (