NATIONAL LABORATORIES, ROCKITT & COLEMAN INC. -- PROFESSIONAL LYSOL BRAND HOSPITAL BULK DISINFECTANT,2500-000 -- 6840-00-958-9735

Product ID:PROFESSIONAL LYSOL BRAND HOSPITAL BULK DISINFECTANT,2500-000

MSDS Date:03/15/1996

FSC:6840

NIIN:00-958-9735

MSDS Number: BHLXL

=== Responsible Party ===

Company Name: NATIONAL LABORATORIES, ROCKITT & COLEMAN INC.

Address:225 SUMMIT AVE

City:MONTVALE

State:NJ ZIP:07645 Country:US Info Phon

e Num:201-573-5700

Emergency Phone Num:201-573-5700/800-424-9300(CHEMTREC)

CAGE:63180

=== Contractor Identification ===

Company Name: RECKITT AND COLMAN INC

Address:1655 VALLEY ROAD

Box:City:WAYNE

State:NJ ZIP:07474 Country:US

Phone:800-338-6167

CAGE:63180

======= Composition/Information on Ingredients ========

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000 Fraction by Wt: 1.8-2.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9596

Ingr

ed Name: O-BENZYL-P-CHLOROPHENOL CAS:120-32-1 RTECS #:GO7175000 Fraction by Wt: 2.7% Other REC Limits: NONE RECOMMENDED Ingred Name:2-PHENYLPHENOL (SARA 313) CAS:90-43-7 RTECS #:DV5775000 Fraction by Wt: 2.8% Other REC Limits: NONE RECOMMENDED =========== Hazards Identification ========================== LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic :TARGET ORGANS:EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL TRACTS. ACUTE- MAY CAUSE EYE OR SKIN IRRITATION. MAY BE HARMFUL IF INHALED. HARMFUL IF SWALLOWED. CHRONIC- UNKNOWN. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: IRRITATION, REDNESS, NAUSEA, VOMITING, TEARING Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS. EYE PROBLEMS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT. ====== First Aid Measures ==== First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:IF CONSCIOUS, DRINK PLENTY OF WATER. SEEK IMMEDIATE MEDICAL ATTENTION. ============= Fire Fighting Measures ======================== Flash Point Method:TCC Flash Point:>200F,>93C Extinguishing Media: WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPR

AY TO COOL FIRE EXPOSED CONTAINERS.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE EXPECTED
======== Accidental Release Measures ==========
Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED. OTHERWISE, ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE. PLACE IN A CONTAINER FOR DISPOSAL. CLEAN AREA THOROUGHLY TO REMOVE RESIDUAL CON TAMINATION. Neutralizing Agent:ACID
======================================
Handling and Storage Precautions:STORE IN ORIGINAL CONTAINER. KEEP CONTAINER TIGHTLY CLOSED. KEEP AWAY FROM INCOMPATIBLES. Other Precautions:WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, SMOKING. KEEP OUT OF REACH OF CHILDREN. DO NOT TAKE INTERNALLY. AVOID EYE AND SKIN CONTACT.
======= Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY NEEDED. Ventilation:NONE SHOULD BE NEEDED. Protective Gloves:LATEX RECOMMENDED Eye Protection:CHEMICAL SPLASH GOGGLES RECOMMENDED Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health
EPA REGISTRATION NUMBER: 675-19
======================================
HCC:B3 NRC/Stat

e Lic Num:NOT RELEVANT Vapor Density:>1 Spec Gravity:1.026 pH:10.7 Evaporation Rate & Deference: