

EVERSEAL MFG CO INC -- BLUE GLOSS ALKYD ENAMEL 15045 -- 8010-00-298-2287

=====
Product Identification
=====

Product ID:BLUE GLOSS ALKYD ENAMEL 15045

MSDS Date:04/08/1988

FSC:8010

NIIN:00-298-2287

MSDS Number: BHMNH

=== Responsible Party ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Info Phone Num:201-943-4986 / FAX 201-943-1123

Emerg

ency Phone Num:201-943-4986

CAGE:72988

=== Contractor Identification ===

Company Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGFIELD

State:NJ

ZIP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

=====
Composition/Information on Ingredients
=====

Ingred Name:RESIN

Fraction by Wt: 40%

OSHA PEL:NA

ACGIH TLV:NA

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 2%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:ORG

ANIC BLUE
CAS:14038-43-8
Fraction by Wt: 2%
OSHA PEL:NA
ACGIH TLV:NA

Ingred Name:MINERAL SPIRITS
VAPOR PRESSURE 2
CAS:64475-85-0
RTECS #:PY8240000
Fraction by Wt: 53%
OSHA PEL:120 PPM
ACGIH TLV:5 G/KG (ORAL)

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Effects of Overexposure:INHALATION DIZZINESS NAUSEA,POSSIBLE
UNCONSCIOUSNESS.IRRITATION TO SKIN & EYES.

=====
First Aid Measures
=====

First Aid:INHALATION REMOVE TO FRESH AIR.APPLY ARTIFICIAL RESPIRATION
IF NECESSARY.EYES FLUSH W/WTR.SKIN WASH W/SOAP & WTR.CONSULT
PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:105F
Lower Limits:1
Extinguishing Media:FOAM, CARBON DIOXIDE CO2, DRY CHEMICAL
Unusual Fire/Explosion Hazard:WATER NOT A SUITABLE EXTINGUISHING
MEDIUM.FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE IGNITION SOURCES.ENSURE ADEQUATE
VENTILATION.ABSORB SMALL SPILLS ON DRY ABSORPTION MATERIAL. USE
SPARK-PROOF SCOOP FOR LARGER SPILLS.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID EXCESSIVE HEAT & OPEN IGNITION
SOURCES.

Other Precautions:NPCA/HMIS RATING 3,2,0,H

=====
Exposure Controls/Personal Protection
=====

Respirato

ry Protection:IF TLV MAY BE EXCEEDED. USE CARTRIDGE MASK.

Ventilation:SUFFICIENT TO ENSURE LEL NOT ACHIEVED.

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES

Other Protective Equipment:PROTECT SKIN W/CLOTHING OR BARRIER CREAM.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:326 - 387F

Vapor Density:>AIR

Evaporation Rate & Reference: