View NSN Online: https://aerobasegroup.jp/nsn/8030-00-753-5006

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3204 PART A -- 8030-00-753-5006

Product ID:CS 3204 PART A MSDS Date:07/25/1989 FSC:8030 NIIN:00-753-5006 Kit Part:Y MSDS Number: BHQLZ === Responsible Party === Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV Address:11120 SHERMAN WAY City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Info Phone Num:818-982-1650 FAX 818-76 5-5603 Emergency Phone Num:818-982-1650 CAGE:14439 === Contractor Identification === Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:14439 Company Name: TECHCON SYSTEMS INC Address:1059 E BEDMAR ST Box:City:CARSON State:CA ZIP:90746-3601 Country:US CAGE:22975

Ingred Name:NON-HAZARDOUS INGREDIENT

======= Haza

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NON ESTABLISHED. POSSIBLE SKIN IRRITATION AFTER PROLONGED CONTACT, WITH RESULT- ING DERMATITIS. NOT CONSIDERED TO BE A PRIMARY SKIN IRRITANT. Effects of Overexposure:SKIN OR EYE IRRITATION. Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER, CONSULT PHYSICIAN. SKIN: WASH WITH SOAPAND WATER. INGESTION: INDUCE VOMITING, CONSULT A PHYSICIAN.

Flash Point Method:TCC Flash Point:200 F/ 93 C Lower Limits:NA Upper Limits:NA Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard:NONE.

Spi

II Release Procedures: SCOOP UP AND TRANSFER TO CONTAINER FOR REACTION WITH CURING AGENT. CLEAN UP RESIDUE WITH 1,1,1-TRICHLOROETHANE THEN WITH SOAP AND WATER.

Handling and Storage Precautions: STORE IN COOL DRY AREA AWAY FROM STRONG ACIDS.

Other Precautions: WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER HANDLING THIS PRODUCT.

======= Exposure Controls/Personal Protection ==========

Respiratory

Protection:NOT REQUIRED. Ventilation:LOCAL EXHAUST; AIR. MECHANICAL (GENERAL); FAN. Protective Gloves:RUBBER GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT. Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT. Supplemental Safety and Health NK

## HCC:N1

Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:\* Vapor Pres:NEGLIGIBLE Vapor Density:NEGL IGIBLE Spec Gravity:1.52 (H2O=1) Evaporation Rate & amp; Reference:NEGLIGIBLE Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR. (MELTING POINT: LIQUID AT ROOM TEMP.)

Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS. Stability Condition to Avoid:OPEN FLAME. Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE.

====== Disposal Consid

Waste Disposal Methods:REACT WITH CURING AGENT AND DISPOSE AS SOLID WASTEPER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docu ment should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.