View NSN Online: https://aerobasegroup.com/nsn/7930-00-582-4194

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- TREATCO OIL TYPE FLOOR AND MOP TREATMENT -- 7930-00-582-4194

======== Product Identification ===========

Product ID:TREATCO OIL TYPE FLOOR AND MOP TREATMENT

MSDS Date:07/31/1989

FSC:7930

NIIN:00-582-4194

MSDS Number: BJFXW === Responsible Party ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST City:PHILADELPHIA

S

tate:PA

ZIP:19123-3803 Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

CAGE:93607

=== Contractor Identification ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803 Country:US

Phone:215-922-1200

CAGE:93607

======= Composition/Information on Ingredients ========

Ingred Name: MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS:8012-95-1

RTECS #:PY8030000

Other REC Limits: NONE SPE

**CIFIED** 

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3/10 STEL;9192

Ingred Name: N-AMYL ACETATE (SARA III)

CAS:628-63-7

RTECS #:AJ1925000

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: MAY CAUSE SEVERE DIARRHEA IF INGESTED.

MA

| Y CAUSE MINOR EYE IRRITATION.  Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.                             |
|---|
| ======================================  |
| First Aid:FOR EYES: FLUSH WITH WATER UNTIL IRRITATION SUBSIDES. IF IRRITATION PERSISTS, GET MEDICAL AID. IF INGESTED: DO NOT INDUCE VOMITING. GET MEDICAL AID.                  |
| ======================================  |
| Flash Point Method:TOC<br>Flash Point:26<br>0F,127C   |
| ======== Accidental Release Measures ==========   |
| Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM, OR USING A SUITABLE ABSORBANT. BE CAUTIOUS OF SLIPPERY FLOORS.  |
| ========== Handling and Storage ===========   |
| Handling and Storage Precautions:STORE BETWEEN 40 AND 140F. Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE AND STORAGE BY SERVICE PERSONNEL ONLY.            |
| ====== Exposure Controls/Personal Protect ion ========  |
| Respiratory Protection:NONE REQUIRED Ventilation:NONE Protective Gloves:NOT REQUIRED Eye Protection:NOT REQUIRED Other Protective Equipment:NONE Supplemental Safety and Health |
| ========= Physical/Chemical Properties ==========   |
| Boiling Pt:B.P. Text:260F,127C<br>Spec Gravity:.81<br>Solubility in Water:ALMOST NIL<br>Appearance and Odor:CLEAR, THIN, COLORLESS LIQUID; ODOR, BANANA                         |
| ======== Stability and Reactivity Data =========  |
| Stability Indicator/  |

| Materials to Avoid:YES                          |
|---|
| STRONG OXIDIZERS                                |
| Stability Condition to Avoid:NONE               |
| Hazardous Decomposition Products: CARBON OXIDES |

======== Disposal Considerations ============

Waste Disposal Methods: FOLLOW LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warran ts this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.