

MOBIL OIL CORP BEAUMOUNT REFINERY -- MOBIL SHC 626 -- 9150-01-152-1094

===== Product Identification =====

Product ID:MOBIL SHC 626

MSDS Date:03/26/1991

FSC:9150

NIIN:01-152-1094

MSDS Number: BJZKZ

=== Responsible Party ===

Company Name:MOBIL OIL CORP BEAUMOUNT REFINERY

Address:INTERSTATE 10

Box:3311

City:BEAUMONT

State:TX

ZIP:77704

Country:US

Info Phone Num:800-662-4525

Emergency Phone Num:609-73

7-4411, CHEMTREC 800-424-9300

CAGE:LO311

=== Contractor Identification ===

Company Name:CONVOY OIL CORP

Address:1410 N FRONT STREET

Box:29366

City:PHILADELPHIA

State:PA

ZIP:19125

Country:US

Phone:215-739-5281

CAGE:6A438

Company Name:MOBIL OIL CORP

Address:3225 GALLOWS RD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525, 856-224-4644

CAGE:6G112

Company Name:MOBIL OIL CORP BEAUMOUNT REFINERY

Address:INTERSTATE 10

Box:3311

City:BEAUMONT

State:TX

ZIP:77704

Country:US

Phone:800-662-4

525
CAGE:LO311
Company Name:MOBIL OIL CORPORATION
Address:BEAUMOUNT REFINERY INTERSTATE 10
Box:3311
City:BEAUMONT
State:TX
ZIP:77704
Country:US
Phone:609-737-4411/800-424-9300(CHEMTREC)
CAGE:19135

=====
Composition/Information on Ingredients
=====

Ingred Name:SYNTHETIC OIL
Fraction by Wt: >95%
ACGIH TLV:NOT SPECIFIED

Ingred Name:ADDITIVES(AN/OR OTHERS)
Fraction by Wt: 425F,>218C
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

=====
Accidental Release Measures
=====

Spill Release Procedures:RECOVER FREE PRODUCT, OR ABSORB WITH
DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE
CONTAINER FOR DISPOSAL. KEEP PRODUCT OUT OF SEWERS AND WATERCOURSES
BY DIKING OR IMPOUNDING. MINIMIZE SKIN CONTACT AND BREATHING
VAPORS.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID STORAGE NEAR OPEN FLAME OR OTHER
SOURCES OF IGNITION,AND STRONG OXIDANTS.KEEP CONTAINERS CLOSED.
Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE,
CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER
SOURCES OF

F IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SUPPLIED-AIR RESPIRATORY PROTECTION IN
CONFINED OR ENCLOSED SPACES, IF NEEDED.

Ventilation:SUFFICIENT TO MAINTAIN ATMOSPHERE BELOW TLV LIMIT.

Protective Gloves:NEOPRENE, NITRILE, OR POLYVINYL ALCOHOL

Eye Protection:USE CHEMICAL SAFETY GOGGLES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER. CHEMICALLY
RESISTANT BOOTS AND APRONS RECOMM

ENDED.

Work Hygienic Practices:DO NOT TAKE INTERNALLY. AVOID SKIN CONTACT.

WASH SKIN AFTER USING PRODUCT. DO NOT EAT, DRINK OR SMOKE IN WORK
AREA.

Supplemental Safety and Health

WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED
CLOTHING AND LAUNDER BEFORE REUSE. DISCARD CONTAMINATED LEATHER
GLOVES AND SHOES.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres: