View NSN Online: https://aerobasegroup.com/nsn/8040-01-216-7810

DEXTER ADHESIVES AND STRUCTURAL MATERIALS DIVISION -- EA 9628 .060 PSF UNS 8040-01-216-7810 Product ID:EA 9628 .060 PSF UNS MSDS Date:03/25/1991 FSC:8040 NIIN:01-216-7810 MSDS Number: BJZLQ === Responsible Party === Company Name: DEXTER ADHESIVES AND STRUCTURAL MATERIALS DIVISION Address:2850 WILLOW PASS ROAD Box:312 City:PITTSBURG State:CA ZIP:94565 Country:U S Info Phone Num:415-687-4201 Emergency Phone Num:415-687-4201/800-424-9300(CHEMTREC) Preparer's Name:SUZANNE FRANZ CAGE:33564 === Contractor Identification ===

**Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS** 

Ingred Name: EPOXY RESIN SYSTEM Other REC Limits: NONE SPECIFIED

Address:2850 WILLOW PASS ROAD

Box:312

State:CA

**City:BAY POINT** 

ZIP:94565-3299 Country:US

CAGE:33564

Phone:202-483-7616

Ingred Name:VOC 300F,>149C

Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHER, WATER SPRAY, FOAM OR FOG. Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS. Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASES MAY BE LIBERATED.
Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES AND SAFETY GLASSES. SCRAPE UP AND TRANSFER TO METAL CONTAINER. WIPE UP REMAINING RESID UE WITH SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS.
======================================
Handling and Storage Precautions: KEEP COOL IN ACCORDANCE WITH LABEL INSTRUCTIONS. STORE AT 0 DEG. F FOR 12 MONTHS. Other Precautions: FOLLOW RECOMMENDED CURING SCHEDULE.
======================================
Respiratory Protection:NOT NEEDED WITH GOOD INDUSTRIAL VENTILATION. Ventilation:LOCAL EXHAUST RECOMMENDED. Protective Gloves :IMPERVIOUS PLASTIC OR RUBBER. Eye Protection:SAFETY GLASSES OR GOGGLES. Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health AVOID CONTACT W/EYES OR SKIN. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING. DO NOT HANDLE OR USE UNTIL THE MSDS HAS BEEN READ AND UNDERSTOOD. CONTAINS EPOXY RESINS.
======================================
HCC:V5 Boiling Pt:B.P. Text:DECOMPOSES Vapor Pres:1 Evaporation Rate & amp; Reference:NIL Solubility in Water:NIL Appearance and Odor:GREEN, SEMI-SOLID FILM
======================================
<ul> <li>Stability Indicator/Materials to Avoid:YES</li> <li>STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL ACIDS.</li> <li>Hazardous Decomposition Products:CO, NOX, ALDEHYDES, ACIDS AND UNDETERMINED ORGANICS.</li> <li>Conditions to Avoid Polymerization:AVOID HEATING MATERIAL UNLESS CURING SURFACES TO BE BONDED. FAILURE T</li> </ul>

## O OBSERVE CAUTION MAY RESULT IN EXCESSIVE HEAT \*

Waste Disposal Methods: DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be acc urate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.