

S C JOHNSON & SON, INC -- LEMON SHINE-UP, PRESSURIZED -- 7930-01-056-9929

=====
Product Identification
=====

Product ID:LEMON SHINE-UP, PRESSURIZED

MSDS Date:06/29/1990

FSC:7930

NIIN:01-056-9929

MSDS Number: BJZXY

=== Responsible Party ===

Company Name:S C JOHNSON & SON, INC

City:RACINE

State:WI

ZIP:53403-5011

Country:US

Info Phone Num:414-631-2777

Emergency Phone Num:414-631-2000

Preparer's Name:

TERRY A. MEYERS

CAGE:0U826

=== Contractor Identification ===

Company Name:S C JOHNSON & SON INC/PROF WAX DIV

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403

Country:US

Phone:800-725-6737/414-886-1480 INTNL#

CAGE:0U826

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236

Country:US

Phone:800-725-6737

CAGE:32204

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPARAFFINIC HYDROCARBON SOLVENT

CAS:64475-85-0

RTECS #:

PY8240000
Fraction by Wt: 10-20%
Other REC Limits:300 PPM PER EXXON

Ingred Name:PROPANE
CAS:74-98-6
RTECS #:TX2275000
Fraction by Wt: 5-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9192

Ingred Name:SILICONE FLUID
CAS:63148-62-9
Fraction by Wt: 1-3%
Other REC Limits:NONE SPECIFIED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 70-80%
Other REC Limits:NONE SPECIFIED

Ingred Name:ISOBUTANE (REPORTING REQUIREMENTS PA, NJ, MA)
CAS:75-28-5
RTECS #:T
Z4300000
Fraction by Wt: 5-10%
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:DIRECT CONTACT OF PRODUCT WITH EYES
CAN CAUSE IRRITATION.

=====
===== First Aid Measures =====

First Aid:FLUSH EYES WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS,
SEEK MEDICAL AID.

=====
===== Fire Fighting Measures =====

=====

Flash Point:NR

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.
FIGHT FIRE FROM MAXIMUM DISTANCE OR PROTECTED AREA. COOL & USE
CAUTION WHEN APPROACHING/HANDLING EXPOSED CONTAINERS

Unusual Fire/Explosion Hazard:CONTAINER MAY BURST IN HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. ABSORB WITH
OIL-DRI
OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND
CONTAINERIZE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE W/GOOD
VENTILATION. DO NOT FREEZE. DO NOT PRESSURIZE, CUT, HEAT, WELD OR
FLAME EXPOSE, EXPLOSION MAY OCCUR. AVOID OVERSPRAY.

Other Precautions:DO NOT USE NEAR FIRE, FLAME, PILOT LIGHT. DO NOT SET
ON STOVE/RADIATOR OR KEEP WHERE TEMP EXCEEDS 120F, CONTAINER MAY
BURST. DO NOT PUNCTURE/THR
OW IN FIRE. KEEP OUT OF REACH OF
CHILDREN. NEVER USE ON FLOORS OR WALKED ON SURFACES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL CONDITIONS.

Ventilation:GENERAL ROOM VENTILATION ADEQUATE.

Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:B.P. Text:NA

Vapor Pres:ND

Vapor Densit

y:ND
Spec Gravity:0.9
Evaporation Rate & Reference:NA
Solubility in Water:NEGLIGIBLE
Appearance and Odor:DISPENSED AS CREAM SPRAY WITH LEMON ODOR.
Percent Volatiles by Volume:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AE
ROSOL CAN BY WRAPPING AND PLACING
IN TRASH. DO NOT PUNCTURE OR BURN CONTAINER. DISPOSE OF SPILLED
RESIDUES AND MULTIPLE UNITS IN ACCORDANCE WITH FEDERAL, STATE AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability f
or its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.