

CREST PRODUCTS CORP -- CREST 2079B -- 8040-00-846-3351

===== Product Identification =====

Product ID:CREST 2079B

MSDS Date:12/03/1990

FSC:8040

NIIN:00-846-3351

Kit Part:Y

MSDS Number: BKJQP

=== Responsible Party ===

Company Name:CREST PRODUCTS CORP

Address:10550 LAWSON RIVER AVENUE

City:FOUNTAIN VALLEY

State:CA

ZIP:92708

Country:US

Info Phone Num:714-965-9292

Emergency Phone Num:714-965-9292

Prepa

Preparer's Name:RICHARD ROY

CAGE:34469

=== Contractor Identification ===

Company Name:CREST PRODUCTS CORP

Address:2000 S SUSAN ST

Box:City:SANTA ANA

State:CA

ZIP:92704-4415

Country:US

Phone:714-965-9292

CAGE:34469

===== Composition/Information on Ingredients =====

Ingredient Name:POLYAMIDE RESIN

CAS:68410-23-1

Fraction by Wt: 40-60%

Ingredient Name:VOC 0 GRAMS/LITER

RTECS #:9999999VO

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin

n:YES Ingestion:NO

Health Hazards Acute and Chronic:SKIN: NOT CONSIDERED TOXIC BY SKIN ABSORPTION, BUT MAY CAUSE IRRITATION. INGESTION: MAY CAUSE GASTROINTESTINAL IRRITATION AND BURNS TO MOUTH AND THROAT. INHALATION: DUE TO THE LOW PRESSURE; NOT CONSIDERED AS A HAZARD. USE IN WELL VENTILATED AREAS. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR.

Effects of Overexposure:CAUSES SKIN AND EYE IRRITATION.

===== First Aid Measures =====

Fir

st Aid:EYES: FLUSH WITH CLEAR WATER IMMEDIATELY FOR 15 MINUTES. CALL PHYSICIAN. SKIN: WASH MATERIAL FROM SKIN WITH SOAP AND WATER. WASH CONTAMINATED CLOTHING. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF MILK OR WATER. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:346F,174C

Autoignition Temp:Autoignition Temp Text:800 F

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL OR WATER.

Fire Fighting Procedures:MATERIAL

LS WILL NOT BURN UNLESS PREHEATED. DO

NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR WITH SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:OXIDIZER OF NITROGEN AND CARBON FORMED UPON BURNING.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB MATERIAL WITH SAND OR VERMICULITE.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT EXPOSE TO EXCESSIVE MOISTURE AS CONTAMINATION OF THE PRODUCT WILL OCCUR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MAY USE ORGANIC CHEMICAL CARTRIDGE RESPIRATOR IF NEEDED DUE TO POOR VENTILATION.

Ventilation:USE EXHAUST; USE IN WELL VENTILATED AREA.

Protective Gloves:RUBBER GLOVES RECOMMENDED.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:APRON IF NEEDED FOR CLOTHING PROTECTION.

Supplemental Safety and Health

===== Physical

/Chemical Properties =====

Boiling Pt:B.P. Text:400F,204C

Melt/Freeze Pt:M.P/F.P Text:0F,-18C

Decomp Temp:Decomp Text:600F,316C

Vapor Pres:.1 @ 77 C

Vapor Density: