View NSN Online: https://aerobasegroup.jp/nsn/9150-00-487-4219

Product ID:VV-D-1078/DAMPING FLUID 20 CS MSDS Date:09/20/1991 FSC:9150 NIIN:00-487-4219 MSDS Number: BKSRP === Responsible Party === **Company Name: PHIPPS PRODUCTS CORPORATION** Address:186 LINCOLN STREET SUITE 502 City:BOSTON State:MA ZIP:02111-2403 Country:US Info Phone Num:COMPANY OUT **OF BUSINESS** Emergency Phone Num:COMPANY OUT OF BUSINESS Preparer's Name:DGSC-SSH CAGE:86511 === Contractor Identification === Company Name: PHIPPS PRODUCTS CORP Address:186 LINCOLN ST SUITE 502 Box:City:BOSTON State:MA ZIP:02111-2403 Country:US Phone:OUT OF BUSINESS CAGE:86511

Ingred Name:POLYDIMETHYL SILOXANE CAS:9016-00-6 RTECS #:TQ2690000 Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED

====== Hazards

LD50 LC50 Mixture:LD50 (ORAL RAT) IS > 40000 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONTOXIC, NON-IRRITATING Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP, OR OSH AS A CARCINOGEN. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELID. SKIN: WASH WITH SOAP & WATER. REMOVE CONTAMINATE CLOTHING. INGESTION: DO NOT INDUCE VOMITING. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:400F, 204C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR DRY CHEMICAL. Fire Fighting Proced ures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCB & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO CO NEARBY CONTAINERS EXPOSED TO FIRE. Unusual Fire/Explosion Hazard:WATER MAY CAUSE FROTHING.

Spill Release Procedures:SCOOP UP GROSS QUANTITIES. COVER SURFACE WITH A DRY POWDER, BRUSH BACK AND FORTH, SWEEP UP. REMOVE REMAINING DUST OR POWDER WITH A SAWDUST-TYPE SWEEPING COMPOUND. Neutral izing Agent:NONE

Handling and Storage Precautions:NONE Other Precautions:CLEAN UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NONE NORMALLY REQUIRED. Protective Gloves:NONE SPECIFIED BY MANUFACTURER. Eye Protection:NONE NORMALLY REQUIRED. Other Protective Equipment:NONE Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. KEEP WORK AREA CLEAN. Supplemental Safety and Health COMPANY OUT OF BUSINESS. MSDS GENERATED BY DGSC-SSH.

HCC:V6 Boiling Pt:B.P. Text:NONVOLATILE Spec Gravity:0.97 Evaporation Rate & amp; Reference:N/K (N-BUTYL ACETATE=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:CLEAR, COLORLESS LIQUID. NO ODOR. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods:INCINERATION IS BEST. OPEN BURNING IS SATISFACTORY IF WHITE SMOKE IS NOT OBJECTIONABLE. DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH A APPLICABLE FEDERAL, STATE AND LOCAL RE

GULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their partic

ular situation.