View NSN Online: https://aerobasegroup.com/nsn/9150-00-823-7860

MALTER INTERNATIONAL CORP -- SLYDE II -- 9150-00-823-7860

Product ID:SLYDE II MSDS Date:03/01/1989

FSC:9150

NIIN:00-823-7860

MSDS Number: BPBZB === Responsible Party ===

Company Name: MALTER INTERNATIONAL CORP

Address:80 1ST ST

City:GRENTA

State:LA

ZIP:70053-4721 Country:US

Info Phone Num:800-535-4095

Emergency Phone Num:504-362-3232/800-424-9300(CHEMTREC)

CAGE:2 7978

=== Contractor Identification ===

Company Name: MALTER INTERNATIONAL BULK CHEMICAL DIVISION

Address:80 FIRST STREET

Box:City:GRETNA

State:LA ZIP:70053 Country:US

Phone:504-362-3232, OR 800-535-4095

CAGE:27978

======= Composition/Information on Ingredients ========

Ingred Name:TRICHLOROTRIFLUOROETHANE

CAS:354-58-5

RTECS #:KJ3975000 Fraction by Wt: 37%

Other REC Limits: NONE RECOMMENDED

Ingred Name: METHYL CHLOROFORM (1,1,1-TRICHLOROEHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ297500

0

Fraction by Wt: 35%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ozone Depleting Chemical:1

Ingred Name: HYDROCARBON PROPELLANT

Fraction by Wt: 20%

Other REC Limits: NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: VAPORS M

IGHT EFFECT CENTRAL

NERVOUS SYSTEM AND CAUSE RESPIRATORY IRRITATION. CHRONIC-NOT SPECIFIED.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALATION: COUGHING, SNEEZING, WHEEZING, SHORTNESS OF BREATH, DIZZINESS, HEADACHE, NAUSEA.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

Fir

st Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCOTR. SKIN: WASH WITH SOAP AND WATER. INGESTED: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point:NONE Lower Limits:6.2 Upper Limits:17.2

Extinguishing Media: CARBON DIOXIDE, MECHANICAL FOAM, DRY CHEMICAL OR

WATER FOG.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLO

Waste Disposal Methods:DISPOSE OF IN ACCORDNCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.