

BIG THREE INDUSTRIES INC, TEMPIL DIV -- TEMPILSTIK 225 F -- 6685-00-392-3705

===== Product Identification =====

Product ID:TEMPILSTIK 225 F

MSDS Date:11/12/1990

FSC:6685

NIIN:00-392-3705

MSDS Number: BPHLJ

=== Responsible Party ===

Company Name:BIG THREE INDUSTRIES INC, TEMPIL DIV

Address:2901 HAMILTON BLVD

City:SOUTH PLAINFIELD

State:NJ

ZIP:07080-2519

Country:US

Info Phone Num:201-757-8300

Emerge

ncy Phone Num:201-757-8300

CAGE:82682

=== Contractor Identification ===

Company Name:BIG THREE INDUSTRIES INC, TEMPIL DIV

Address:2901 HAMILTON BLVD

Box:City:SOUTH PLAINFIELD

State:NJ

ZIP:07080-2519

Country:US

Phone:908-757-8300

CAGE:82682

===== Composition/Information on Ingredients =====

Ingred Name:ACETANILIDE

CAS:103-84-4

RTECS #:AD7350000

Fraction by Wt: 80 - 90%

Other REC Limits:NONE RECOMMENDED

Ingred Name:NON HAZARDOUS INGREDIENTS

Fraction by Wt: 10 - 20%

Other REC L

imits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE- POSSIBLE DERMATITIS,
RESPIRATORY TRACT IRRITATION, REDNESS OF SKIN & RASH. MAY CAUSE EYE
IRRITATION. HARMFUL IF SWALLOWED. CHRONIC- UNKNOWN.
Effects of Overexposure:POSSIBLE DERMATITIS, RESPIRATORY TRACT
IRRITATION, REDNESS OF SKIN & RASH. MAY C
AUSE EYE IRRITATION.
HARMFUL IF SWALLOWED.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE
MORE SUSCEPTIBLE TO THIS MATERIAL.

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH
SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS
OPEN. INHALED:REMOVE TO FRESH AIR. ORAL:CALL A PHYSICIAN
IMMEDIATELY.

===== Fire Fighting Measures =====
=====

Flash Point:>300F,>149C
Extinguishing Media:CARBON DIOXIDE, FOAM OR DRY CHEMICAL. WATER SPRAY
MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL & FLUSH SPILLS
AWAY.
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL
FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.
Unusual Fire/Explosion Hazard:NOX

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP
UP AND HOLD UNUSABLE PRODUCT FOR
DISPOSAL.
Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE- STORE IN AIRTIGHT CONTAINER
IN DRY AREA.
Other Precautions:AVOID CONTACT WITH EYES AND SKIN. AVOID BREATHING
DUST OR FUMES. WASH THOROUGHLY AFTER HANDLING MATERIAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH-APPROVED RESPIRATOR TO REMOVE VAPO

RS.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:NEOPRENE

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION, EMERGENCY SHOWER, APPROPRIATE LABORATORY COAT TO COVER EXPOSED SKIN

Work Hygienic Practices:DO NOT PERMIT EATING, DRINKING OR SMOKING NEAR THIS MATERIAL.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Solubility in Water:SLIGHT

Appearance and Odor:SOLID STICK; ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ALKALIS

Stability Condition to Avoid:FIRE, EXCESSIVE HEAT

Hazardous Decomposition Products:OXIDES OF NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF UNUSABLE PRODUCT IN A CHEMICAL LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

n.