

MASTER LUBRICANTS CO -- SODA/LIME SERIES-LUBRIKO M2-5LB -- 9150-00-956-6008

===== Product Identification =====

Product ID:SODA/LIME SERIES-LUBRIKO M2-5LB

MSDS Date:05/29/1991

FSC:9150

NIIN:00-956-6008

MSDS Number: BPMHY

=== Responsible Party ===

Company Name:MASTER LUBRICANTS CO

Address:MEADOW & JACKSON STS

City:PHILADELPHIA

State:PA

ZIP:19148-2891

Country:US

Info Phone Num:215-389-2680

Emergency Phone Num:215-389-2680

CAGE:76227

=== Contractor Identification

===

Company Name:MASTER LUBRICANTS CO INC

Address:MEADOW AND JACKSON STS

Box:City:PHILADELPHIA

State:PA

ZIP:19148

Country:US

Phone:215-389-2680

CAGE:76227

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENTS

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health

Hazards Acute and Chronic:UNKNOWN - THIS MATERIAL HAS BEEN USED
FOR MANY YEARS WITH NO ILL EFFECTS.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:TREAT AS PETROLEUM DISTILLATE. INGEST: CALL MD IMMEDIATELY .
INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTIFICIAL
RESPIRATION) CALL MD .

EYES: IMMEDIATELY FLUSH W/POTABLE WATER FOR
A MINIMUM OF 15 MINUTES, SEEK ASSISTANCE FROM MD . SKIN: FLUSH
W/COPIOUS AMOUNTS OF WATER. CALL MD. .

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:450F,232C

Extinguishing Media:FOAM, DRY CHEMICAL, SAND, WATER FOG, CO*2.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT . TREAT AS REFINED MINERAL OIL.

Unusual Fire/Explosion Hazard:NONE

=====

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB IN SAND OR INERT MATERIAL, SCOOP OR
SWEEP UP AND REMOVE; FOLLOW NORMAL CLEANLINESS PROCEDURES AND KEEP
ALL PETROLEUM PRODUCTS OUT OF STREAMS AND WATERWAYS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE INDOORS, WITH LIDS IN PLACE AND
AWAY FROM OPEN FLAME OR DIRECT SUNLIGHT.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NOT REQUIRED. NIOSH/MSHA APPROVED
RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NORMALLY NOT REQUIRED.

Protective Gloves:NORM NOT REQD. IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

=====

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres:10

Spec Gravity:0.9 (H*2O=1)

Evaporation Rate & Reference: