

PARK DAVIS DIV WARNER LAMBERT CO -- 0714475 DILATIN INJECTION, 50 MG/ML --
6505-01-332-9024

===== Product Identification =====

Product ID:0714475 DILATIN INJECTION, 50 MG/ML
MSDS Date:05/01/1991
FSC:6505
NIIN:01-332-9024
MSDS Number: BPPHY
=== Responsible Party ===
Company Name:PARK DAVIS DIV WARNER LAMBERT CO
Address:201 TABOR RD
City:MORRIS PLAINS
State:NJ
ZIP:07950-2614
Country:US
Info Phone Num:
m:201-540-2000
Emergency Phone Num:201-540-2000
Preparer's Name:ROY MUELLER
CAGE:EO180

=== Contractor Identification ===
Company Name:PARK DAVIS DIV WARNER LAMBERT CO
Address:201 TABOR RD
Box:City:MORRIS PLAINS
State:NJ
ZIP:07950-2614
Country:US
Phone:201-540-2000
CAGE:EO180
Company Name:PARKE-DAVIS, DIV OF WARNER LAMBERT CO
Address:201 TABOR ROAD
Box:City:MORRIS PLAINS
State:NJ
ZIP:07950
Country:US
Phone:201-540-2000
CAGE:93874
Company Name:PARKE-DAVIS DIV OF WARNER-LAMBERT CO
Address:JOS CAMPAU

AT THE RIVER
Box:City:DETROIT
State:MI
ZIP:48232
Country:US
CAGE:91378
Company Name:WARNER-LAMBERT CO
Address:201 TABOR ROAD
Box:City:MORRIS PLAINS
State:NJ
ZIP:07950-2614
Country:US
Phone:201-540-2000
CAGE:82559

===== Composition/Information on Ingredients =====

Ingred Name:PHENYTOIN, USP (5,5-DIPHENYLHYDANTOIN)
CAS:57-41-0
RTECS #:MU1050000
Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHYL ALCOHOL (ETHANOL)
CAS:64-17-5
RTECS #:KQ6300000
Fraction by Wt: 10%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9293

Ingred Name:PROPYLENE GLYCOL
CAS:57-55-6
RTECS #:TY2000000
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE MILD SKIN AND EYE IRRITATION
ON CONTACT. THERAPUTIC EFFECTS ARE: CENTRAL NERVOUS SYSTEM EFFECTS,
POSSIBLE BIR

TH DEFECTS IF USED DURING PREGNANCY.

Explanation of Carcinogenicity:PHENYTOIN IS LISTED AS A CARCINOGEN.

Effects of Overexposure:SKIN: RASH, ITCHING, INFLAMMATION AT INJECTION SITE. EYES: REDNESS, TEARING. THERAPUTIC: RAPID EYE MOVEMENT (NYSTAGMUS), SLURRED SPEECH, DROWSINESS, DECREASED COORDINATION, AND MENTAL CONFUSION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALED: REMOVE TO FRESH AIR, GET MEDICAL HELP. EYES: FLUSH WITH WATER FOR 15 MINUTES; GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER UNTIL RESIDUE IS GONE. INGESTED: DO NOT INDUCE VOMITING! GE T IMMEDIATE MEDICAL HELP.

===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR.

Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID (C
ONTAINS LESS THAN
10% ETHYL ALCOHOL).

===== Accidental Release Measures =====

Spill Release Procedures:PREVENT EXPOSURE. WEAR PROPER PROTECTIVE CLOTHING AND EQUIPMENT. COLLECT SPILLED MATERIAL; PLACE WASTE IN A LABELED, SEALED CONTAINER FOR LATER DISPOSAL. WASH CONTAMINATED SURFACES WITH SOAP AND WATER .

Neutralizing Agent:5% ACETIC ACID

===== Handling and Storage =====

Handling and Storage Precautions:STORE AS ST
ATED IN MANUFACTURER'S
PRODUCT LABEL.

Other Precautions:MATERIAL SHOULD BE HANDLED SO AS TO PREVENT CONTACT WITH SKIN AND EYES. USE HAND AND EYE PROTECTION WHEN USING THIS MATERIAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. NONE NORMALLY REQUIRED.

Ventilation:NONE SPECIFIED BY MANUFACTURER. NORMAL ROOM VENTILATION SHOULD BE ADEQUATE.

Protective Gloves:RUBBER OR PVC

Eye Protection:SAFETY GLASSES

/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

THERAPUTIC CLASS: ANTICONVULSANT.

===== Physical/Chemical Properties =====

HCC:B3

Spec Gravity:1.032

pH:>12.1

Appearance and Odor:CLEAR, COLORLESS, ODORLESS LIQUID

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. MATERIAL IS A CORROSIVE, DISPOSE OF
ACCORDINGLY. MANUFACTURER RECOMMENDS INCINERATION IN A PERMITTED
FACILITY.

Di

sclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.