

POWER CONVERSION INC -- ETERNACELL,LITHIUM/SULFUR DIOXIDE BATTERY,B --
6135-01-088-2708

===== Product Identification =====

Product ID:ETERNACELL,LITHIUM/SULFUR DIOXIDE BATTERY,B

MSDS Date:06/09/1992

FSC:6135

NIIN:01-088-2708

MSDS Number: BPVGR

=== Responsible Party ===

Company Name:POWER CONVERSION INC

Address:495 BOULEVARD

City:ELMWOOD PARK

State:NJ

ZIP:07407-2029

Country:US

Info Phone Num:201-79

6-4800

Emergency Phone Num:201-796-4800

CAGE:5G978

=== Contractor Identification ===

Company Name:HAWKER ETERNACELL, INC.

Address:495 BOULEVARD

Box:City:ELMWOOD PARK

State:NJ

ZIP:07407-2029

Country:US

Phone:201-796-4800 /FAX: 201-796-6243

CAGE:5G978

===== Composition/Information on Ingredients =====

Ingred Name:LITHIUM METAL

CAS:7439-93-2

RTECS #:OJ5540000

Other REC Limits:NONE RECOMMENDED

Ingred Name:SULFUR DIOXIDE (SARA III)

CAS:7446-09-5

RTECS #:WS4550000

Other REC Limit

s:NONE RECOMMENDED
OSHA PEL:5 PPM/5 STEL
ACGIH TLV:2 PPM/5 STEL; 9293

Ingred Name:ACETONITRILE (SARA III)
CAS:75-05-8
RTECS #:AL7700000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:40 PPM,60 PPM STEL
ACGIH TLV:40 PPM,60 PPM STEL
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NOT KNOWN
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and
Chronic:SEE SIGNS AND SYMPTOMS OF
OVEREXPOSURE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:EYES:SEVERE IRRITATION CAUSED BY DECOMPOSITION
PRODUCTS.SKIN:NOT KNOWN.INHALATION:SEVERE IRRITATION OF RESPIRATORY
TRACT BY DECOMPOSITION PRODUCTS.PULMONARY EDEMA POSSIBLE. EXTENDED
EXPOSURE TO HIGH C ONCENTRATIONS IN CONFINED SPACE CAN LEAD TO
ASPHYXIATION.INGESTION:NOT KNOWN.
Medical Cond Aggravated by Exposure:NOT KNOWN

===== First Aid Measures =====

First Aid:EYES:ANY CONTACT WITH ELECTROLYTE SHOULD BE FOLLOWED BY
FLUSHING WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MIN.
CONSULT PHYSICIAN. SKIN:ANY CONTACT WITH ELECTROLYTE SHOULD BE
FOLLOWED BY FLUSHING WITH WATER. INHALATION:REMOVE TO FRESH AIR.
INGESTION:NOT KNOWN.

===== Fire Fighting Measures =====

Flash Point:NOT KNOWN
Lower Limits:NOT KNOWN
Upper Limits:NOT KNOWN
Extinguishing Media:USE SAND, DRY CHEMICAL, FO

AM,METAL-X.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) AND FULL TURNOUT GEAR .REMOVE BATTERIES AND POTENTIAL COMBUSTIBLE MATERIAL FROM AREA OF BURNING BATTERY.

Unusual Fire/Explosion Hazard:HEATING >160F OR SHORT CIRCUITING LEADS TO VENTING & RELEASE OF SULFUR DIOXIDE & ACETONITRILE.HEATING >354F MELTS LITHIUM & IS SEVERE FIRE & EXPLOSION HAZARD.

===== Accidental Release Measures =====

Spill Release Procedures:IF CELL VENTS OR IS PUNCTURED,VENTILATE AREA WELL.WASH AWAY ANY LIQUID RESIDUE WITH WATER.
Neutralizing Agent:NOT KNOWN

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN ORIGINAL CONTAINERS.NEVER STORE IN LOOSE BINS.DO NOT PUNCTURE,SHORT CIRCUIT OR EXPOSE TO TEMPERATURES ABOVE 160F.
Other Precautions:DO NOT USE CELLS IN HERMETICALLY SEALED CONTAINERS.DO NOT EXPOSE CELLS TO CHARGING CURRENTS.NEVER CUT INTO CELL.

===== Ex
posure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR MAY BE NECESSARY IN CONFINED SPACES.
Ventilation:CONTACT LOCAL SAFETY/INDUSTRIAL HYGIENE OFFICE TO DETERMINE IF LOCAL EXHAUST VENTILATION IS NEEDED .
Protective Gloves:HAND PROTECTION.
Eye Protection:EYE PROTECTION WHEN HANDLING BATTERIES.
Other Protective Equipment:DISCHARGED CELLS MAY CONTAIN SIGNIFICANT AMOUNTS OF ENERGY AND SHOULD BE HANDLED WITH CARE.
Work Hygienic Practices:NOT KNOWN
Supplemental
Safety and Health
WASTE DISP:DISPOSE OF IN SANITARY LANDFILLS. DO NOT COMPACT.

===== Physical/Chemical Properties =====

HCC:Z6
Boiling Pt:B.P. Text:NOT KNOWN
Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN
Decomp Temp:Decomp Text:NOT KNOWN
Vapor Pres:NOT KNOWN
Vapor Density:NOT KNOWN
Spec Gravity:NOT KNOWN
Evaporation Rate & Reference:NOT KNOWN
Solubility in Water:NOT KNOWN
Appearance and Odor:NOT KNOWN

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

DO NOT EXPOSE VENTED CELLS TO WATER.

Stability Condition to Avoid: TEMPERATURE ABOVE 160F.

Hazardous Decomposition Products: ACETONITRILE MAY DECOMPOSE ABOVE 245F
RELEASING HIGHLY TOXIC CYANIDES.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSAL MUST BE IN ACCORDANCE WITH
FEDERAL, STATE, AND LOCAL REGULATIONS. COORDINATE WITH SUPPORTING
INSTALLATION AND/OR MACOM ENVIRONMENTAL OFFICE PRIOR TO DISPOSAL
. CELLS SHOULD BE HANDLED WITH CARE, ELECTRICALLY ISOLATED & PACKED
FOR DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document

should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.