View NSN Online: https://aerobasegroup.jp/nsn/6750-00-528-0473

VARICHEM CORP., DBA CLAYTON CHEMICAL -- 176060B; 421-74; CFH FIXER HARDENER PART B -- 6750-00-528-0473

Product ID:176060B; 421-74; CFH FIXER HARDENER PART B MSDS Date:07/27/1992 FSC:6750 NIIN:00-528-0473 MSDS Number: BPVNL === Responsible Party === Company Name: VARICHEM CORP., DBA CLAYTON CHEMICAL Address:13310 S. FIGUEROA ST. **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info Phone Num:213-538-9530 Emergency Phone Num:213-538-9530 CAGE: JO759 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP Address:RR 1 Box:276-Z City:HEATHSVILLE State:VA ZIP:22473 Country:US Phone:703-759-9399 CAGE:6W820 Company Name: VARICHEM CORP., DBA CLAYTON CHEMICAL Addr

ess:13310 S. FIGUEROA ST. Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:213-538-9530 CAGE:JO759

======= Composition/Information on Ingredients ==========

Ingred Name:ALUMINUM SULFATE (SARA III) CAS:10043-01-3 RTECS #:BD1700000 Fraction by Wt: 40-50% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Routes of Entry: Inhalation:NO Skin:YE

S Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT MAY CAUSE SEVERE IRRITATION AND BURNS TO BODY TISSUES WHICH IT CONTACTS. INHALATION OF MISTS OR VAPORS IS HIGHLY UNLIKELY DURING ANY NORMAL USEAGE.

Explanation of Carcinogenicity: THIS CHEMICAL IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES:SEVERE IRRITATION OR BURNS. SKIN: POSSIBLE IRRITATION, BURNS. INHALED:UNLIKELY EXPOSURE BUT MAY CA

USE

RESPIRATORY IRRITATION IF MISTS ARE INHALED. INGESTED:SEVERE IRRITATION OF THE DIGESTIVE TRAC T.

Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY MFR.

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET PROMPT MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH PLENTY OF WATER FOR 15 MINUTES. INGESTION:DRINK MILK

OR WATER. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

Flash Point:NONE

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS OF SO2.

=========== Accidental Release Meas

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMEMT. DIKE SPLL. PREVENT FRO Neutralizing Agent:POWDERED SODIUM BICARBONATE

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED. DO NOT STORE WITH INCOMPATABLE MATERIALS.

Other Precautions:DO NOT STORE OR CONSUME FOOD, DRINK OR TOBACCO IN AREA WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.

Respiratory Protection: NO INFORMATION GIVEN ON MSDS BY MFR. SUFFICIENT ROOM VENTILATION Ventilation:SUFFICIENT ROOM VENTILATION Protective Gloves: RECOMMENDED Eye Protection: EYEGLASSES W/ SIDE SHIELDS Other Protective Equipment: APRON. (SPLASH PROTECTION IS ALL THAT IS RECOMMENDED BY MANUFACTURER.) Work Hygienic Practices: MFR: ? HMIS: USE GOOD CHEMICAL HYGIENE PRACTICE, AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health THIS IS PART B OF A TWO PART KIT. FOR THE MSDS OF PART A, SEE P/N IND D, THIS NSN. HCC:C3 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.213 pH:2.98 Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, ODORLESS LIQUID

Stability Indicator/Materials to A

void:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NO INFORMATION GIVEN ON MSDS BY MFR. Hazardous Decomposition Products:OXIDES OF SULFUR AND HYDROGEN

Waste Disposal Methods:RECOVER NON-USEABLE FREE LIQUID AND/OR CONTAMINATED WATER AND DISPOSE OF IN AN APPROVED/PERMITTED TREATMENT SYSTEM AND SOLIDS TO AN APPROVED/PERMITTED LANDFILL. DISCHARGE TO SEWER REQUIRES APPROVAL OF PERMITTING AUTHORITY AND MA

Y REQUIRE PRETREATMENT

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to t heir

particular situation.