Product ID:SIMULANT TUBE,WHITE MSDS Date:05/01/1992 FSC:6665 NIIN:01-134-0885 Kit Part:Y MSDS Number: BPZKG === Responsible Party === **Company Name: TRUETECH INC** Address:680 ELTON AVE City:RIVERHEAD State:NY ZIP:11901-2555 Country:US Info Phone Num:516-727-8600 Emergency Phone Num:516-727-8600 CAGE:06421 === Contractor Identification === **Company Name: TRUETECH INC** Address:680 ELTON AVE Box:City:RIVERHEAD State:NY ZIP:11901-2555 Country:US Phone:516-727-8600 CAGE:06421 Ingred Name:1-NAPHTHY METHYLCARBAMATE (SARA III) CAS:63-25-2 RTECS #:FC5950000 Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

LD50 LC5

0 Mixture:NOT KNOWN Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF OVEREXPOSURE. Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES:BLURRED VISION,PINPOINT PUPILS. INGESTION:HEADACHE,NAUSEA,VOMITING,SWEATING,STOMACHACHE,ABDOMINAL CRAMPS. Medical Cond Aggravated by Exposure:NONE
======================================
First Aid:IF CONTACT WITH EYES:FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES . CONTACT WITH SKIN:FLUSH WITH WATER. INGESTION:INDUCE VOMITING.CONTACT A PHYSICIAN. INHALATION: REMOVE TO FRESH AI R.
======================================
Flash Point Method:COC Flash Point:380F,193C Lower Limits:NOT KNOWN Upper Limits:NOT KNOWN Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE TO SURROUNDING FIRE CONDITIONS. Fire Fighting Procedures:NONE REQUIRED. Unusual Fire/Explosion Hazard:MAY EMIT TOXIC FUMES OF NITROGEN OXIDES.
====================================
======================================
Handling and Storage Precautions:NOT KNOWN Other Precautions:AVOID CONTACT WITH EYES AND SKIN.AVOID BREATHING VAPORS.
========= Exposure Controls/Personal Protection ====================================

Respiratory

Protection:NONE NORMALLY REQUIRED. Ventilation:MECHANICAL (GENERAL) Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:SAFETY SHOWER AND EYEBATH. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health KEY1:T6 THIS NSN IS FOR A WATER TESTING KIT, CHEMICAL AGENTS. THE KIT IS SHIPPED INTACT WITH 11 DIFFERENT CHEMICAL AGENTS. REFER TO THIS NSN AND PN IND A-K FOR INFORMATION ON EACH COMPONENT OF THE KIT . SHIPPING THIS KIT, U SE PSN "POISONOUSSOLIDS, NOS, PG 2, MERCURIC CYANIDE".

HCC:T2 Boiling Pt:B.P. Text:DECOMPOSES Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN Decomp Temp:Decomp Text:NOT KNOWN Vapor Pres:0.002 MMHG Vapor Density:NOT KNOWN Spec Gravity:NOT KNOWN Evaporation Rate & amp; Reference:NOT KNOWN Solubility in Water:UP TO 40 PPM Appearance and Odor:NOT KNOWN

Stability Indi cator/Materials to Avoid:YES NOT KNOWN Stability Condition to Avoid:NOT KNOWN Hazardous Decomposition Products:NITROGEN OXIDES Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,STATE, AND LOCAL REGULATIONS.COORDINATE WITH SUPPORTING INSTALLATION AND/OR MACOM ENVIRONMENTAL OFFICE PRIOR TO DISPOSAL.

Disclaimer (provided with this information by the co

## mpiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.