View NSN Online: https://aerobasegroup.jp/nsn/5330-00-759-0550

FURON CO -- FLEXIBLE GRAPHITE FILLED FLEXSEAL (VOGT P/N -- 5330-00-759-0550

Product ID:FLEXIBLE GRAPHITE FILLED FLEXSEAL (VOGT P/N

MSDS Date:04/23/1990

FSC:5330

NIIN:00-759-0550

MSDS Number: BQCTB
=== Responsible Party ===
Company Name:FURON CO
Address:METALLIC GASKET DIV

Box:15639 City:HOUSTON

State:TX ZIP:77220 Country:US

Info Phone Num:800-972-7638

Emergency P

hone Num:800-972-7638

CAGE:12599

=== Contractor Identification === Company Name:FURON CO Address:3340 E LA PALMA AVE

Box:3339 City:ANAHEIM

State:CA

ZIP:92803-3339 Country:US

Phone:714-772-7920

CAGE:12599

Company Name: FURON CO, METALLIC GASKET DIV

Address:1977 KINDRED ST

Box:City:HOUSTON

State:TX ZIP:77049 Country:US

Phone:713-458-5830

CAGE:4V062

Company Name: GOLDNER HERMAN CO INC

Address:7777 BREWSTER AVE

Box:City:PHILADELPHIA

State:PA

ZIP:19153-3210 Country:US CAGE:84409

Company Name: HENRY VOGT

Address:1000 W ORMSBY Box:City:LOUISVILLE State:KY ZIP:40210 Country:US CAGE:63220 ======= Composition/Information on Ingredients ======== Ingred Name: GRAPHITE, NATURAL CAS:7782-42-5 RTECS #:MD9659600 Other REC Limits: NONE RECOMMENDED **OSHA PEL:15 MPPCF RDUST** ACGIH TLV:2 MG/M3 RDUST; 9293 ------ Hazards Identification ------Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: GRAPHITE FIBERS ARE CONFINED AND GENERALLY DO NOT GENERATE DUST. PROLONGED OR REPEATED BREATHING OF ANY DUST PRODUCED MAY RESULT IN PNEUMONICONIOSIS. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: NONE SPECIFIED BY MANUFACTURER. HMIS: COUGHING, WHEEZING, DIFFICULTY IN BREATHING (PNEUMONICONIOSIS). Medical Cond Aggravated by Exposure: DUST MAY AGGRAVATE PRE-EXISTING RESPIRATORY AILMENTS. _____ First Aid:NONE SPECIFIED BY MANUFACTURER. HMIS-INHALED: REMOVE PERSON TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTED: CALL DOCTOR. ============ Fire Fighting Measures ========================= Extinguishing Media: MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE ======= Accide

MACHINE CO

Spill Release Procedures:SWEEP UP AND PLACE IN CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:DO NOT GRIND OR PULVERIZE. PREVENT DUSTY CONDITIONS. Other Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE NORMALLY REQUIRED. IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGEN CY CONDITIONS OCCUR; USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST. USE IN ACCORDANCE WITH 29 CFR 1910.134. Ventilation:LOCAL EXHAUST IS RECOMMENDED TO MAINTAIN EXPOSURE TO AIRBORNE MATERIAL BELOW REGULATORY LIMITS. Protective Gloves:NONE Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING.
Supplemental Safety and Health ===================================
HCC:N1 Spec Gravity:6.61 Solubility in Water:NEGLIGIBLE Appearance and Odor:ALTERNATING METALLIC/NONETALLIC PLIES, SILVER/DARK GREY; ODORLESS Percent Volatiles by Volume:0
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE
======== Disposal Considerations ===========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, S

ntal Release Measures =========

TATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.