DU PONT E I DE NEMOURS & CO -- SPECIALTY ELECTRIC DETONATORS - "S" PRODUCT -- 4210-01-297-5283

============ Product Identification =========================

Product ID:SPECIALTY ELECTRIC DETONATORS - "S" PRODUCT

MSDS Date:11/03/1985

FSC:4210

NIIN:01-297-5283

MSDS Number: BQDSF === Responsible Party ===

Company Name: DU PONT E I DE NEMOURS & CO

Address:1007 MARKET ST

City:WILMINGTON

State:DE ZIP:19899 Country:US

Info Phone Num:800-441-3637 (MEDICAL) Emergency Phone Num:800-441-7515 800-42

4-9300(CHEMTREC)

Preparer's Name:PROD.MGR.,EP,F&FP

CAGE:0BA38

=== Contractor Identification ===

Company Name: DU PONT E I DE NEMOURS AND CO INC CHEM

Address: DELLE DONNE CORPORATE CTR

City:WILMINGTON

State:DE

ZIP:19880-0800 Country:US

Phone:800-441-7515

CAGE:0BA38

Company Name: DUPONT E I DE NEMOURS AND CO INC, POLYMER PRODUCT-TEFLON

CO.

Address:1007 MARKET ST Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-523-0372/346-4748

CAGE:9V583

====== Composition/Information on Ing

redients =======

Ingred Name:LEAD DINITROORTHOCRESYLATE CAS:79357-62-3 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.15 MG/M3 AS LEAD ACGIH TLV:0.15 MG/M3 AS LEAD

Ingred Name:POTASSIUM PERCHLORATE

CAS:7778-74-7

RTECS #:SC9700000

Other REC Limits: NONE RECOMMENDED

Ingred Name:BARIUM PEROXIDE

CAS:1304-29-6

RTECS #:CR0175000

Other REC Limits: NONE RECOMMENDED

Ingred Name: SMOKELESS POWDER
Other REC Limits: NONE RECOMMENDED

Ingred Name:BLACK POWDER

Other REC Limits: NONE RECOMMENDED

Ingred Na

me:BASIC LEAD PHOSPHITE

CAS:12141-20-7

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.15 MG/M3 AS LEAD ACGIH TLV:0.15 MG/M3 AS LEAD

Ingred Name:BORON

CAS:7440-42-8

RTECS #:ED7350000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 (AS OXIDE) ACGIH TLV:10 MG/M3 (AS OXIDE)

Ingred Name:MAGNESIUM

CAS:7439-95-4

RTECS #:OM2100000

Other REC Limits: NONE RECOMMENDED

Ingred Name: SELENIUM (SARA III)

CAS:7782-49-2

RTECS #:VS7700000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.2 MG/M3 ACGIH TLV:0.2 MG/M 3; 9293 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB Ingred Name: ALUMINUM (SARA III) CAS:7429-90-5 RTECS #:BD0330000 Other REC Limits: NONE RECOMMENDED OSHA PEL:15MG/M3 DUST/5 FUME ACGIH TLV:10MG/M3 DUST; 9293 Ingred Name:BRONZE, COMMERCIAL Other REC Limits: NONE RECOMMENDED LD50 LC50 Mixture:TLV=0.15MG/M3(AS PB);PEL=50UG/M3(AS PB) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSH A:NO Health Hazards Acute and Chronic: THIS MATERIEL CAN CAUSE INJURY OR FATALITY.LEAD CAN DAMAGE BLOOD FORMING ORGANS, NERVOUS, REPRODUCTIVE AND URINARY SYSTEMS.NITROGEN OXIDES ARE SKIN, EYE AND RESPIRATORY IRRITANTS.CHRONIC EXPOSURE CAUSES LUNG DAMAGE; ACUTE OVEREXOSURE CAN CAUSELUNG DAMAGE OR SUFFOCATION. Explanation of Carcinogenicity:NITROGEN OXIDES DO SHOW EMBRYOTOXIC AND REPRODUCTIVE EFFECTS. Effects of Overexposure:LEAD POISONING:LOSS OF APPETITE, ANEMIA, SLEEP **DISTURBA** NCE, FATIGUE. NITROGEN OXIDES:BRONCHITIS,EMPHYSEMA,BRONCHOPNEUMONIA,METHEMOGLOBINEMIA. Medical Cond Aggravated by Exposure: NOT REPORTED.

First Aid:NOT REPORTED.REFER TO MANUFACTURER'S "DO'S AND DON'TS" INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.

========= Fire Fighting Measures ==============

Flash Point:NOT REPORTED Extinguishing Media:MANUFACTURER STATES NONE. Fire Fighting Pr

Unusual Fire/Explosion Hazard:PRODUCES SHRAPNEL.
========= Accidental Release Measures ==========
Spill Release Procedures:USE PROTECTIVE EQUIPMENT.REMOVE PERSONNEL.ELIMINATE IGNITION SOURCES(FRICTION,IMPACT,RF AND ELECTROSTATIC ENERGY,ELECTRIC CURRENT).REFER TO MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNING SUP PLIED WITH EACH PRODUCT SHIPMENT.
============= Handling and Storage ==========
====
Handling and Storage Precautions:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.
Other Precautions:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT REPORTED Ventilation:NOT REPORTED Protective Gloves:NOT REPORTED Eye Protection:NOT REPORTED Other Protective Equ ipment:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT. Work Hygienic Practices:REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT. Supplemental Safety and Health REFER TO THE MANUFACTURER'S "DO'S AND DON'TS"INSTRUCTIONS AND WARNINGS SUPPLIED WITH EACH PRODUCT SHIPMENT.
========= Physical/Chemical Properties ==========
HCC:E2 Solubility in Wa

ocedures:DO NOT FIGHT FIRE;EVACUATE AREA.

ter:NOT REPORTED
Appearance and Odor:ALUMINUM OR BRONZE SHELLS WITH ATTACHED INSULATED

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:NO ACIDS,ALKALI.

COPPER LEG WIRES.

Stability Condition to Avoid:HEAT,FRICTION,IMPACT,LOW LEVEL ELECTRIC CURRENT,ELECTROSTATIC OR RF ENERGY

Hazardous Decomposition Products:SHRAPNEL,LEAD FUMES,OXIDES OF NITROGEN,BORON AND SELENIUM COMPOUNDS.

 Disposal Considerations	===

Waste Disposal Methods: CONSULT THE MANUFACTURER. DISPOSAL MUST COMPLY WITH 40CFR, PARTS 260-271.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profe ssional advice to verify and assume responsibility for the suitability of this information to their particular situation.