View NSN Online: https://aerobasegroup.jp/nsn/6750-01-145-7831

Product ID:416-78 MICRO RAPID FIXER CONCENTRATE (5045) MSDS Date:04/24/1992 FSC:6750 NIIN:01-145-7831 MSDS Number: BQNGZ === Responsible Party === Company Name: CLAYTON CHEMICAL COMPANY Address:13310 S. FIGUEROA ST. **City:LOS ANGELES** State:CA ZIP:90061 Country:US Info Phone Num:213-538-9530 Emergency Phone Num:213-538-9530 CAGE:61803 === Contractor Identification === Company Name: CLAYTON CHEMICAL CO. Address:13310 S. FIGUEROA STREET Box:City:LOS ANGELES State:CA ZIP:90061 Country:US Phone:310-538-9530/800-424-9300(CHEMTREC) CAGE:61803 Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP Address:RR 1 Box:276-Z City:HEATHSVILLE State:VA ZIP:22473 Country:US Phone:703-759-9399 CAGE:6W820

Ingre

d Name:AMMONIUM THIOSULFATE CAS:7783-18-8 RTECS #:XN6465000 Fraction by Wt: 10-15% Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM BISULFITE (SASA III) CAS:7631-90-5 RTECS #:VZ2000000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 PPM ACGIH TLV:10 PPM/15 STEL; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE IRRITATION OF GI TRACT IF
SWALLOWED. INHALATION OF MIST MAY IRRITATE RESPIRATORY TRACT.
CONTACT MAY IRRITATE THE EYES. CHRONIC: NONE KNOWN.
Explanation of Carcinogenicity:A COMPUTERIZED LITERATURE SEARCH OF
NATIONAL DATABASES
DID NOT YIELD ANY CHRONIC EFFECTS ASSOCIATED
WITH THESE CHEMICALS
Effects of Overexposure:INHALATION: COUGHING, WHEEZING, SHORTNES OF
BREATH. EYES: REDNESS, ITCHING, BLURRED VISION, DISCOMFORT.
INGESTION: NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALED: REMOVE TO FRESH AIR. EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. OBTAIN MEDICAL ATTENTION. SKIN:FL

USH WITH PLENTY OF WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING. INGESTED:DRINK M ILK OR WATER. INDUCE VOMITING. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Flash Point:NON-FLAMMABLE Lower Limits:NONE Upper Limits:NONE Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:EVACUATE PERSONNEL TO SAFE AREA. KEEP PERSONNEL REMOVED AND UP WIND. WEAR SELF-CONTAINED BREATHING APPARAT US AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION, EMISSION OF TOXIC FUMES OF SULFUR DIOXIDE IS POSSIBLE.

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. NEUTRALIZE WITH POWDERED SODIUM CARBONATE. SOAK UP WITH SAND, OIL DRY OR OTHER ABSORBENT MATERIAL. Neutralizing Agent:POWDER ED SODIUM CARBONATE

Handling and Storage Precautions:STORE IN A WELL-VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE NEAR INCOMPATIBLES.
Other Precautions:DO NOT STORE OR CONSUME FOOD, DRINK, OR TOBACCO IN AREA WHERE THEY MAY BE CONATMINATED WITH THIS MATERIAL.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. MFR SAID, "SUFFICIENT ROOM VENTILATION." Ventilation:SUFFICIENT ROOM VENTILATION. Protective Gloves:GLOVES RECOMMENDED Eye Protection:SAFETY GLASSES W/SIDE SHIELDS RECOMMENDE Other Protective Equipment:APRON RECOMMENDED Work Hygienic Practices:MFR: ? HMIS:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health KEY2:KT

HCC:C3 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:AS WATER Vapor Density:AS WATER Spec Gravity:1.35 pH:5.30 Evaporation Rate & amp; Reference:SAME AS WATER Solubility in Water:100% Appearance and Odor:CLEAR AND COLORLESS SLIGHT AMMONIA ODOR

Stability Indicator/Materials to Avoid:YES STRONG ALKALIS, STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES OF CARBON AND SULFUR; AMMONI A

Waste Disposal Methods:RECOVER NON-USABLE FREE LIQUID AND/OR CONTAMINATED WATER AND DISPOSE OF IN AN APPROVED AND PERMITTED TREATMENT SYSTEM. REMOVE NON-USABLE SOLIDS AND/OR CONTAMINATED SOIL FOR DISPOSAL IN A PERMITTED LA NDFILL. DISCHARGE TO SEWER REQUIRES APPROVAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.