

CROSSFIELD PRODUCTS CORP -- DEX-O-TEX STANDARD GROUT POWDER,PART A --  
5610-00-852-1901

===== Product Identification =====

Product ID:DEX-O-TEX STANDARD GROUT POWDER,PART A

MSDS Date:01/01/1987

FSC:5610

NIIN:00-852-1901

MSDS Number: BQWLT

=== Responsible Party ===

Company Name:CROSSFIELD PRODUCTS CORP

Address:3000 E. HARCOURT ST

City:COMPTON

State:CA

ZIP:90221-5504

Country:US

Info Phone Num:213-636-0561

Emergency Phone Num:213-636-0561

CAGE:60782

=== Contractor

Identification ===

Company Name:CROSSFIELD PRODUCTS CORP.

Address:3000 EAST HARCOURT ST.

Box:City:COMPTON

State:CA

ZIP:90221

Country:US

Phone:310-886-9100

CAGE:60782

===== Composition/Information on Ingredients =====

Ingred Name:SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7

RTECS #:VV7330000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:SEE TABLE Z3

ACGIH TLV:0.1 MG/M3 RDUST;9293

===== Hazards Identification =====

LD50 LC50 Mixture:ACGIH-TLV TW

A=0.1MG/M3 SI-O2

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:POSSIBLE IRRITANT.SKIN:POSSIBLE IRRITANT.INHAL:MAY CAUSE DELAYED LUNG DAMAGE.

Explanation of Carcinogenicity:SI-O2 HAS BEEN INVESTIGATED BY RTECS 92-4 AS A TUMORIGEN.

Effects of Overexposure:INHAL:DELAYED LUNG DAMAGE.

Medical Cond Aggravated by Exposure:PERSONS WITH KNOWN RESPIRATORY AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:INHAL:MOVE TO FRESH AIR.EYES:FLUSH WITH WATER FOR 15 MINUTES.SKIN:WASH WITH SOAP AND WATER.INGEST:SEEK QUALIFIED MEDICAL HELP.

===== Fire Fighting Measures =====

Extinguishing Media:NOT A FIRE HAZARD.

Fire Fighting Procedures:NO SPECIAL REQUIREMENTS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:

USE DUSTLESS COLLECTION(WET SWEEPING,HEPA VACUUMING);PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN DRY AREA.USE DUSTLESS SYSTEMS FOR HANDLING,STORAGE AND CLEAN-UP.

Other Precautions:PRODUCT WILL HARDEN IF IN CONTACT WITH WATER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH/MSHA A

PROVED RESPIRATOR IF DUST

LEVELS EXCEED 0.1MG/M3.

Ventilation:LOCAL EXHAUST OR GENERAL(MECHANICAL).FOLLOW OSHA STANDARDS.

Protective Gloves:OPTIONAL.

Eye Protection:GOGGLES

Other Protective Equipment:CLOTHING TO PROTECT SKIN

Work Hygienic Practices:PRACTICE GOOD HOUSEKEEPING WHERE THIS MATERIEL IS USED.

Supplemental Safety and Health

KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:N/R(SOLID)

Spec Gravity:2.65

Solubility in Wate

r:NEGLIGIBLE

Appearance and Odor:POWDER,GRANULAR;NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

HYDROFLUORIC ACID(EVOLVES SI-F4 GAS).

Stability Condition to Avoid:CONTAMINATION BY WATER.

Hazardous Decomposition Products:MANUFACTURER STATES NONE.

Conditions to Avoid Polymerization:WATER,FORMS HYDRATE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN SANITARY LANDFILL

IN ACCORDANCE W/

FEDERAL,STATE & LOCAL REGULATIONS ON SOLID WASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibi

lity for the suitability of this information to their particular situation.