

FUJISAWA USA, INC., FUJISAWA PHARMACEUTICAL CO -- EPHEDRINE SULFATE INJECTION --
6505-01-093-7115

===== Product Identification =====

Product ID:EPHEDRINE SULFATE INJECTION

MSDS Date:10/07/1992

FSC:6505

NIIN:01-093-7115

MSDS Number: BQWMT

=== Responsible Party ===

Company Name:FUJISAWA USA, INC., FUJISAWA PHARMACEUTICAL CO

Address:3 PARKWAY NORTH

City:DEERFIELD

State:IL

ZIP:60015-2548

Country:US

In

fo Phone Num:708-317-0800

Emergency Phone Num:800-888-7704

CAGE:0K706

=== Contractor Identification ===

Company Name:FUJISAWA USA, INC

Address:3 PKY N

Box:City:DEERFIELD

State:IL

ZIP:60015-2548

Country:US

Phone:847-317-1256

CAGE:39832

Company Name:FUJISAWA USA, INC.

Address:3 PARKWAY NORTH

Box:City:DEERFIELD

State:IL

ZIP:60015-2548

Country:US

Phone:708-317-0800 OR 800-888-7704

CAGE:0K706

===== Composition/Information on Ingredients =====

Ingred Name:EPHEDRINE SULFATE

CAS:134-

72-5
RTECS #:KB2625000
Fraction by Wt: 0.5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM CITRATE
CAS:68-04-2
RTECS #:GE8300000
Fraction by Wt: 0.29%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CITRIC ACID
CAS:77-92-9
RTECS #:GE7350000
Fraction by Wt: 0.05%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM CHLORIDE
CAS:7647-14-5
RTECS #:VZ4725000
Fraction by Wt: 0.69%
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Other REC Limits:NONE RECOMME
NDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 600 MG/KG.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE- THIS PRODUCT IS INTENDED FOR
THERAPEUTIC USE ONLY WHEN PRESCRIBED BY A PHYSICIAN. POTENTIAL
ADVERSE REACTIONS FROM PRESCRIBED DOSES AND OVERDOSES ARE
PRESCRIBED IN THE PACKAGE INSERT. OCCUPATIO NAL EXPOSURE HAS NOT

BEEN FULLY INVESTIGATED. CHRONIC- NOT KNOWN
Effects of Overexposure:EYE, SKIN AND RESPIRATORY TRACT IRRITATION
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE
MORE SUSCEPTIBLE TO THIS MATERIAL.

===== First Aid Measures =====

First Aid:CONSULT PHYSICIAN IF SYMPTOMS PERSIST. EYE/SKIN:FLUSH WITH
WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALATION:REMOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. INGESTION:FLUSH MOUTH OUT

WITH
WATER IMMEDIATELY. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:>200F,>93C
Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM OR DRY CHEMICAL.
WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED
SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:MAY EMIT TOXIC FUMES OF NOX, SOX AND
SULFURIC ACID.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. USE ABSORBENT
TOWELS OR BOOMS TO CLEAN-UP SPILL. WIPE SURFACES CLEAN AND WASH
WITH SOAP AND WATER.
Neutralizing Agent:WEAK BASE

===== Handling and Storage =====

Handling and Storage Precautions:AS A GENERAL RULE, WHEN HANDLING
PHARMACEUTICAL PRODUCTS, AVOID ALL CONTACT AND INHALATION OF DUST,
FUME, MISTS AND/OR VAPORS ASSOCIATED WITH PRODUCT.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WITH SATISFACTORY VENTILATION, RESPIRATORY
PROTECTION NOT USUALLY REQUIRED.
Ventilation:MECHANICAL (GENERAL) ROOM VENTILATION IS USUALLY
SATISFACTORY. USE LOCAL EXHAUST VENTILATION WHEN NECESSARY.
Protective Gloves:DISPOSABLE LATEX RECOMMENDED
Eye Protection:SAFETY GOGGLES/GLASSES RECOMMENDED
Other Protective Equipment:EYE WASH
STATION, DISPOSABLE GARMENTS IF
DIRECT CONTACT IS ANTICIPATED.
Work Hygienic Practices:PRACTICE GOOD HYGIENIC PROCEDURE.
Supplemental Safety and Health
FLASH POINT IS ESTIMATED.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:NOT KNOWN
Melt/Freeze Pt:M.P/F.P Text:473F,245C
Vapor Pres:NOT KNOWN
Vapor Density:14.78
Spec Gravity:NOT KNOWN
pH:4.5-7
Evaporation Rate & Reference:NOT KNOWN
Solubility in Water:SOLUBLE
Appearance and Odor:CLEAR,

COLORLESS, ODORLESS SOLUTION

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG BASES

Stability Condition to Avoid: EXPOSURE TO LIGHT MAY CAUSE DECOMPOSITION.

Hazardous Decomposition Products: MAY EMIT TOXIC FUMES OF NOX, SOX AND
SULFURIC ACID.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (p

rovided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.