View NSN Online: https://aerobasegroup.jp/nsn/1730-00-449-4835

US ARMY BELVOIR -- ASBESTOS CONTAINING CLOTH -- 1730-00-449-4835

Product ID:ASBESTOS CONTAINING CLOTH

MSDS Date:07/22/1993

FSC:1730

NIIN:00-449-4835

MSDS Number: BRFNR === Responsible Party ===

Company Name: US ARMY BELVOIR

Address: RESEARCH AND DEVELOPMENT CENTER

City:FORT BELVOIR

State:VA

ZIP:22060-5606 Country:US

Info Phone Num:703-704-2016/DSN 654-2016

Emergenc

y Phone Num:703-704-2016/DSN 654-2016

Preparer's Name: DGSC-SSH

CAGE:LO388

=== Contractor Identification ===

Company Name: R AND R MILITARY PRODUCTS CO

Address: KATY RD RFD RT 1 BLDG 2

Box:503 City:KELLER State:TX

ZIP:76248-0503

Country:US Phone:817-431-2558

CAGE:6N151

Company Name: US ARMY

Address: RESEARCH AND DEVELOPMENT CENTER

Box:City:FORT BELVOIR

State:VA


ZIP:22060-5606 Country:US CAGE:97403

Company Name: US ARMY BELVOIR

Address: RESEARCH AND DEVELOPMENT CENTER

Box:City:FORT BELVOIR

State:VA ZIP:



ACGIH TLV:2 FIBERS/CC: A1:9192

OSHA PEL:0.2 FIBERS/CC

Ingred Name:GENERIC "MSDS". SPECIFIC ASBESTOS TYPE NOT KNOWN. ONE CITED IS ASSUMED. INFORMATION BASED ON SEGMENT "M" OF "DLSC TIR" RTECS #:9999999ZZ

========= Hazards Identification ===============

Routes of Entry: In

halation:YES Skin:NO Ingestion:NO

Health Hazards Acute and Chronic:ACUTE- NO ACUTE EFFECTS ARE KNOWN.

CHRONIC- DUSTS MAY CONTAIN ASBESTOS FIBERS. CHRONIC OVEREXPOSURE TO AIRBORNE FIBERS MAY LEAD TO ASBESTOSIS & MESOTHELIOMA. SMOKING COMBINED WITH FIBER INHALATION GRE ATLY INCREASES LUNG CANCER RISK!

Explanation of Carcinogenicity:OVEREXPOSURE TO AIRBORNE CONCENTRATIONS OF ASBESTOS MAY LEAD TO ASBESTOSIS AND MESOTHELIOMA.

Effects of Overexposure:INHALATION OF AIRBORNE DUST CONTAINING ASBESTOS
FIBERS ON REPEATED EXPOSURE MAY CAUSE OR CAN LEAD TO ASBESTOSIS OR
MESOTHELIOMA. POTENTIAL EYE IRRITATION FROM AIRBORNE DUST.
Medical Cond Aggravated by Exposure:RESPIRATORY DEFICIENCIES DUE TO
REPEATED INHALATION OF AIRBORNE FIBERS.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE CONTAMINATED CLOTHING. FLUSH SKIN WITH WA


TER, THEN WASH WITH SOAP &

WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REM OVE TO FRESH AIR. PROVIDE OXYGEN/CPR IFNEEDED. ORAL:GET MEDICAL ATTENTION.

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CO2, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL & FLUSH SPILLS AWAY.

Fire Fighting Procedures: COMBUSTION PRODUCTS OF THIS MATERIAL MAY BE



Melt/Freeze Pt:M.P/F.P Text:NOT KNOWN Decomp Temp:Decomp Text:NOT KNOWN Spec Gravity:NOT KNOWN Evaporation Rate & Decomp Ref

erence:NONE
Solubility in Water:NOT SOLUBLE
Appearance and Odor:CLOTH CONTAINING ASBESTOS AT THE END OF THE LIGHTER, TORCH
Percent Volatiles by Volume:NONE
========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES NONE KNOWN
Stability Condition to Avoid:FIRE
Hazardous Decomposition Products:MAY RELEASE ASBESTOS FIBERS.
============ Disposal Considerations =================

Waste Disposal Methods:DUST SHOULD BE HANDLED AS A HAZARDOUS AIR

POLLUTANT I/A/W 40CFR61 SUBPART "M" PERTAINING TO ASBESTOS. USE LANDFILLS APPROVED FOR ASBESTOS DISPOSAL. OBSERVE ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use.

Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.