View NSN Online: https://aerobasegroup.com/nsn/8040-01-131-9186

CIBA-GEIGY CORP; FURANE PRODUCTS -- EPIBOND 8543 B -- 8040-01-131-9186

Product ID: EPIBOND 8543 B MSDS Date:03/07/1990 FSC:8040 NIIN:01-131-9186 Kit Part:Y MSDS Number: BSHMY === Responsible Party === Company Name: CIBA-GEIGY CORP; FURANE PRODUCTS Address:5121 SAN FERNANDO ROAD WEST **City:LOS ANGELES** State:CA ZIP:90039 Country:US Info Phone Num:818-247-6210 Emergen cy Phone Num:818-247-6210/ 800-888-8372 Preparer's Name: RAJESH S PATEL CAGE:NO016 === Contractor Identification === Company Name: CIBA SPECIALTY CHEMICALS CORPORATION Address:4917 DAWN AVE Box:City:EAST LANSING State:MI ZIP:48823-5691 Country:US Phone:517-351-5900 CAGE:02684 Company Name: CIBA-GEIGY CORP; FURANE PRODUCTS Address:5121 SAN FERNANDO ROAD WEST **City:LOS ANGELES** State:CA ZIP:90039 Country:US Phone:818-247-6210 CAGE:NO016

======= Composition/Information on Ingredients =========

Ingred Name:MERCAPTAN TERMINATED POLYMER Fraction by Wt: 50% Other REC Limits:NONE SPECIFIED

Ingred Name:TALC CAS:14807-96-6 RTECS #:WW2710000 Fraction by Wt: 30% Other REC Limits:FPC: 2 MG/M3 OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3

Ingred Name:2,4,6-TRI(DIMETHYLAMINOMETHYL)-CAS:90-72-2 RTECS #:SN3500000 Fraction by Wt: 10% Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA, AMORPHOUS CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 10% Other REC Limits:FPC: 6 MG/M3 OSHA PEL:6 MG/M3 ACGIH T LV:10 MG/M3

Health Hazards Acute and Chronic:INHALATION: VAPOR/MIST CAN IRRITATE NOSE & THROAT. EYE: SEVERELY IRRITATING; POSSIBLY PERMANENT INJURY. SKIN: SEVERELY IRRITATING; HARMFUL IF ABSORBED THRU SKIN.
INGESTION: SUBSTANCE WILL CAUSE BURNIN G & SEVERE SWELLING OF MOUTH, THROAT & ABDOMEN. DELAYED EFFECTS: PROLONGED/REPEATED EXPOSURE CAN CAUSE ALLERGIC CONDITN.
Medical Cond Aggravated by Exposure:ALLERG Y ECZEMA, EYE OR RESPIRATORY CONDITIONS.

First Aid:INHALATION: MOVE SUBJECT TO FRESH AIR. EYE AND SKIN CONTACT: FLUSH EYES WITH A LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET PROMPT MEDICAL ATTENTION. WASH SKIN THOROUGHLY WITH SOAP AND WATER. R EMOVE AND WASH CLOTHING BEFORE REUSE. INGESTION: IF SWALLOWED DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. SEE A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Spill

Release Procedures:USE PROTECTIVE EQUIPMENT. CLEAN ALL TRACES OF SPILL. SHOVEL INTO DRY, CLEAN CONTAINER. ON HARD SURFACE USE ABSORBENT MAT'L TO PICK UP REMAINDER, ON LOOSE SURFACES SHOVEL UP CONTAM LAYER. KEEP SPILL & CLEANING RUNOFF FROM MUNICIPAL & OPEN WATERBODIES.

Handling and Storage Precautions:MAXIMUM STORAGE TEMPERATURE: 35 C. STORE AWAY FROM EXCESSIVE HEAT (E.G., STEAMPIPES, RADIATORS), FROM

SOURCES OF IGNITION.

Other Precautions:DO NOT STORE NEAR FOOD OR FEED. CORROSVE TO COPPER AND BRASS ON LONG STORAGE.

Respiratory Protection:WEAR RESPIRATOR (MSHA/NIOSH) SUITABLE FOR CONCENTRATION AND TYPE OF AIR CONTAMINANTS ENCOUNTERED. Ventilation:MECHANICAL LOCAL EXHAUST VENTILATION AT POINT OF CONTAMINANT RELEASE. Protective Gloves:IMPERVIOUS GLOVES Eye Protection:CHEMICAL SPLASH GOGGLES (ANSI Z-87.1) Other Pro tective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER AND EYEWASH FACILITY. Supplemental Safety and Health NOTE TO PHYSICIAN: ALLERGIC DERMATITIS OR RESPIRATORY RESPONSE IN SUSCEPTIBLE INDIVIDUALS MAY BE DELAYED. IT MAY APPEAR AFTER WEEKS OR EVEN MONTHS OF FREQUENT AND PROLONGED CONTACT.

Vapor Pres:1 Spec Gravity:1.25 (WATER=1) Viscosity:SOFT PASTE Evaporation Rate & amp; Reference: