

EPOXYLITE CORP

-- EPOXYLITE #6203 PART B

=====

MSDS Safety Information

=====

FSC: 5970

NIIN: 01-130-5510

MSDS Date: 07/24/1992

MSDS Num: BSWBC

Product ID: EPOXYLITE #6203 PART B

MFN: 02

Kit Part: Y

Responsible Party

Cage: 11147

Name: EPOXYLITE CORP

Address: 9400 TOLEDO WAY

Box: 19671

City: IRVINE CA 92713-9671

Info Phone Number: 714-951-3231

Emergency Phone

Number: 800-424-9300(CHEMTREC)

Proprietary Ind: Y

Published: Y

=====

Contractor Summary

=====

Cage: 11147

Name: THE EPOXYLITE CORPORATION

Address: 9400 TOLEDO WAY

Box: 19671

City: IRVINE CA 92713-9671

Phone: 714-951-3231

=====

Item Description Information

=====

Item Name: INSULATING COMPOUND KIT,E
LECTRICAL

=====

Ingredients

=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data

=====

LD50 LC50 Mixture: SEE INGREDIENT 1.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: YES

IARC: YES

OSHA: NO

Effects of Exposure: EYE

:MAY LEAD TO IRRIT, W/TEARING. SKIN:MINOR IRRIT MAY
RSLT W/MOISTURE. ALLERGIC SENSITIVITY MAY OCCUR IN SOME INDIVIDUALS.
INGEST:IRRIT & POSS CORR ACTION ON MOUTH & STOM TISS. VOMIT MAY
OCCUR. INHAL :MAY CAUSE BREATHLESSNESS, SEV COUGH, CHEST DISCOMFORT, IRRIT OF
MUC MEMB & REDUCED PULM FUNCTION (RXN (EFTS OF OVEREXP)
Explanation Of Carcinogenicity: SILICA, CRYSTALLINE - QUARTZ:GROUP 2A (IARC),
IARC MONOGRAPHS, SUPPLEMENT, VOL 7, PG 341, 1987. ANTIC TO BE A

Signs And Sympti

ons Of Overexposure: HLTH HAZ:MAY BE DELAYED 4-8 HRS). SOME
INDIVIDUALS MAY DEVELOP SENSITIVITY LEADING TO ASTHMA-LIKE SYMPS ON
SUBSEQUENT EXPOS BELOW TLV. IARC HAS DETERMINED THAT THERE IS LTD EVID OF
CARCIN OF CRYSTALLI NE SILICA TO HUMANS. ORAL TOX OF THIS CMPD IS LOW, BUT
THERE ARE DEFINITE PERCUTANEOUS & INHAL EFTS SHOWN IN (SUPP DATA)

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE:IMMED FLUSH W/PLENTY OF WATER/MINERAL OIL FOR AT LST 15 MINS.

GET MED ATTN. SKIN:WASH W/SOAP & WATER. ALCOHOL MAY BE HELPFUL. CONSULT
MD IF SWELL/REDDENING OCCURS. INGEST:DRINK WATER & INDUCE VOMI T BY
TOUCHING BACK OF THROAT W/FINGER &/OR ADMIN SYRUP OF IPECAC. FOLLOW
W/MILK & MILD CATHARTIC (MILK OF MAGNESIA). CALL MD/POIS CTL CTR IMMED.
INHAL:IMMED PERS OUT OF EXPOS AREA IMMED. IF (SUPDAT)

Handling and Disposal

Spill

Release Procedures: ONLY PROPERLY PROTECTED PERSONNEL SHOULD REMAIN IN
IMMEDIATE AREA. CONTAIN SPILL, COVER LIQUID W/ABSORBENT MATERIAL (SAW DUST,
OIL ABSORBENT, ETC). INSURE ADEQUATE VENTILATION. SWEEP UP USING DUST CON
TROL MATERIAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF MATERIAL ACCORDING TO ALL FEDERAL, STATE
& LOCAL LAWS.

Handling And Storage Precautions: DO NOT HANDLE/USE UNTIL MSDS HAS BEEN READ
& UNDERSTOOD. DO NOT GET O
N SKIN, EYES/CLTHG. DO NOT INHALE DUST. KEEP
CNTNRS CLSD. FOR INDUS USE ONLY.

Other Precautions: USE ONLY W/ADEQ VENT. KEEP AWAY FROM HEAT, SPKS & OPEN
FLAMES. THIS CNTNR HAZ WHEN EMPTY. SINCE EMPTY CNTNRS RETAIN PROD RESIDUES
(VAP, LIQ/SOLIDS) ALL LABELED HAZ PRECS MUST BE OBSERVED. DO NOT REUSE
"EMPTY CNTNR" FOR FOOD, CLTHG/

Fire and Explosion Hazard Information

Flash

Point Method: PMCC

Flash Point Text: >485F,>252C

Extinguishing Media: WATER FOG, FOAM, ALCOHOL FOAM, CARBON DIOXIDE OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). WATER SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL.

Unusual Fire/Explosion Hazard: AVOID WATER CONTAMINATION IN CLOSED CONTAINER OR CONFINED AREA (CO₂ EVOLVED-EXOTHERMIC).

=====

Control Measures

=====

=====

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR RECOMMENDED W/APPROPRIATE ACID/GAS FILTER.

Ventilation: GOOD ROOM VENTILATION USUALLY ADEQUATE FOR MOST OPERATION.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: ANSI APRV CHEM WORK GOGG (FP N).

Other Protective Equipment: CLEAN, BODY-COVERS, CLTHING TO MINIMIZE SKIN CONT. EMERG EYE WASH & DELUGE SHOWER MEETING ANSI DSGN STNDS (FP N).

Work Hygienic Practices: IN CASE OF CONT WASH

IMMED W/SOAP & WATER. REMOVE &

WASH CONTAM CLTHG BEFORE REUSE. DISCARD CONTAM LEATHER GOODS.

Supplemental Safety and Health: SPEC GRAV:1.8 +/- 0.1 (H₂O=1). EFTS OF

OVEREXP:ANIMAL STUDIES. BECAUSE OF ITS IRRIT PROPERTIES, PERS HNDLG MATL SHLD AVOID CONT OF MATL W/SKIN OR EYES & SHLD AVOID INHALING DUST. FIRST AID

PROC:BRTHG IS LABORED/DFCLT, OXYGEN SHLD BE ADMINBY TRAINED PERS. CONSULT MD IMMED. NOTE TO MD:TREAT SYMPTOMATICALLY.

=====

=====

Physical/Chemical Properties

=====

B.P. Text: >752F,>400C

Spec Gravity: SUPP DATA

Solubility in Water: SLIGHTLY SOLUBLE

Appearance and Odor: WHITE TO TAN COLORED POWDER; ODORLESS.

Percent Volatiles by Volume: NIL

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: AVOID PROLONGED HEATING >160F (71C) OR ST

ORAGE
Materials To Avoid: WATER, STRONG ALKALIES, ALCOHOLS, METAL COMPOUNDS OR
SURFACE ACTIVE AGENTS.
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF
NITROGEN, TRACES OF HYDROGEN CYANIDE.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====

Toxicological Information

=====

=====

===

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

=====

HAZCOM Label

=====

Product ID: EPOXYLITE #6203 PART B
Cage: 11147
Company Name: THE EPOXYLITE CORPORATION
Street: 9400 TOLEDO WAY
PO Box: 19671
City: IRVINE CA
Zipcode: 92713-9671
Health Emergency Phone: 800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 07/29/1993
Status Code: C
Label Date: 07/29/1993
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection

IND: YES
Signal Word: WARNING
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Moderate
Fire Hazard: Slight
Reactivity Hazard: Slight
Hazard And Precautions: COMBUSTIBLE. AVOID WATER, STRONG ALKALIES, ALCOHOLS, METAL CMPNDS OR SURFACE ACTIVE AGNTS. ACUTE:EYE:MAY LEAD TO IRRIT, W/TEARING. SKIN:MINOR IRRIT MAY RSLT W/MOISTURE. INGEST:IRRIT & POSS CORR ACTION ON MOUTH & STOM TISS. VOMIT MAY OCCUR.INHAL:MAY CAUSE BREATHLESSNESS, SEV COUGH, CHEST DISCOMFORT, IRRIT OF MUC MEMB & REDUCED PULM FUNCTION (RXN MAY BE DELAYED 4-8 HRS). CHRONIC:CRYSTALLINE SILICA(Q UARTZ) IS LISTED AS A LUNG CARCIN IN LAB ANIMALS (FP N). ALLERG SKIN SENSIT MAY OCCUR IN SOM INDIVIDS (FP N). INDIVIDS MAY DVLP SENSIT LEADING TO ASTHMA-LIKE SYPTS ON SUBSEQUENT EXP BELOW TLV.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.