

NILES CHEMICAL PAINT CO -- N-5847 ORGE, SI ALKYD (12197) -- 8010-01-360-9306

=====
Product Identification
=====

Product ID:N-5847 ORGE, SI ALKYD (12197)

MSDS Date:11/23/1993

FSC:8010

NIIN:01-360-9306

MSDS Number: BTCPV

=== Responsible Party ===

Company Name:NILES CHEMICAL PAINT CO

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Info Phone Num:616-683-3377

Emergency Phone

Num:219-236-5856

Preparer's Name:MICHAEL LICHATOWICH

CAGE:02388

=== Contractor Identification ===

Company Name:NILES CHEMICAL PAINT

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Phone:616-683-3377/219-236-5856

CAGE:02388

=====
Composition/Information on Ingredients
=====

Ingred Name:HIGH SOLIDS SILICONE (VAPOR PRESSURE 1.5 MM HG @ 20C)

Fraction by Wt: 37%

Other REC Limits:NONE RECOMMENDED

Ingred Name:GROUND LIMESTONE

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 22%
Other REC Limits:NONE RECOMMENDED

Inged Name:MINERAL SPIRITS (VAPOR PRESSURE 0 MM HG)
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by Wt: 19%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Inged Name:VM&P NAPHTHA HI FLASH (VAPOR PRESSURE 15 MM HG @ 37.7C)
Fraction by Wt: 9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:350 PPM

Inged Name:COBALT COMPOUNDS (AS CO) (SARA III)
CAS:7440-48-4
RTECS #:GF8750000
Fraction by Wt: AIR
Spec Gravity:1.167
Viscosity:99 KU MAX
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:SLIGHT
Appearance and Odor:LIQUID, ODOR OF SOLVENTS
Percent Volatiles by Volume:42.00
Corrosion Rate:MINIMAL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, STRONG OXIDIZERS
Hazardous Decomposition Products:CAN PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE
Conditions to Avoid Polymerization:HIGH TEMPERATURES, SHOCK FROM

DROPPING

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE, AND FEDERAL REGULATIONS. EPA HAZARDOUS WASTE CODE: D001, IGNITABLE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to

be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.