

HARVEY WILLIAM H CO -- PLUMBER'S PUTTY -- 8030-00-221-3823

===== Product Identification =====

Product ID:PLUMBER'S PUTTY

MSDS Date:07/01/1986

FSC:8030

NIIN:00-221-3823

MSDS Number: BTSVX

=== Responsible Party ===

Company Name:HARVEY WILLIAM H CO

Address:4350 LAFAYETTE AVE

City:OMAHA

State:NE

ZIP:68131-1026

Country:US

Info Phone Num:402-553-0479 / FAX 402-553-4826

Emergency Phone Num:402-553-0479

C

AGE:51947

=== Contractor Identification ===

Company Name:WILLIAM H HARVEY CO

Address:4334 SOUTH 67TH ST

Box:City:OMAHA

State:NE

ZIP:68117-1019

Country:US

Phone:800-228-9681

CAGE:51947

===== Composition/Information on Ingredients =====

Ingred Name:NON HAZARDOUS INGREDIENT

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:N

TP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:APPEARS TO BE NO SIGNIFICANT RISK.
Explanation of Carcinogenicity:NOT CONSIDERED TO BE CARCINOGENIC.
Effects of Overexposure:INHALATION-POSSIBLE LIGHT HEADEDNESS OR MAY
CAUSE HEADACHE. EYES-MAY CAUSE IRRITATION. INGESTION-HAS LAXATIVE
PROPERTIES AND MAY RESULT IN ABDOMINAL CRAMPS AND DIARRHEA.
Medical Cond Aggravated by Exposure:NONE.

===== First Aid Measures =====

First Aid:REMOVE VICTIM TO
FRESH AIR, SEEK MEDICAL ATTENTION IF
CONDITION PERSISTS.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:650F,343C
Extinguishing Media:CARBON DIOXIDE, FOAM AND DRY CHEMICAL.
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED MATERIAL
AND TO PROTECT PERSONNEL.
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:NO SPECIAL PRECAUTION - SCOOP UP
SPILLED
MATERIAL, IT CAN BE REUSED IF IT IS NOT DIRTY OR CONTAMINATED.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT, KEEP CONTAINER
CLOSED AFTER USE.
Other Precautions:KEEP OUT OF REACH OF CHILDREN AND PETS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS.
Ventilation:LOCAL EXHAUST-OPEN AREA IS SUFFICIENT.
Protective Gloves:NONE REQUIRED.
E

ye Protection:NONE REQUIRED.
Other Protective Equipment:NONE.
Work Hygienic Practices:USE NORMAL GOOD HYGIENIC PRACTICES.
Supplemental Safety and Health
NONE.

===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:2
Solubility in Water:NEGLIGIBLE
Appearance and Odor:GREY - PUTTY WITH PETROLEUM ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE - KEEP AWAY FROM HEAT 250 OR MORE AND FLAME A
ND STRONG OXIDIZING
AGENTS.
Stability Condition to Avoid:SOURCES OF HEAT.
Hazardous Decomposition Products:PARTIAL BURNING WOULD PRODUCE SMOKE OR
FUMES.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN TRASH CONTAINER AND DISPOSE OF
ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies):

This
information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.