View NSN Online: https://aerobasegroup.com/nsn/8030-01-314-6116

Product ID: EPOXO 400G NON-SKID DECK COATING, PART B CURING AGENT MSDS Date:03/01/1988 FSC:8030 NIIN:01-314-6116 Kit Part:Y **MSDS Number: BTTMJ** === Responsible Party === Company Name: AMERICAN ABRASIVE METALS CO Address:460 COIT ST City:IRVINGTON State:NJ ZIP:07 111-4607 Country:US Info Phone Num:201-373-7060 Emergency Phone Num:201-373-7060 CAGE:88444 === Contractor Identification === Company Name: AMERICAN SAFETY TECHNOLOGIES INC Address:565 EAGLE ROCK AVE Box:City:ROSELAND State:NJ ZIP:07068 Country:US Phone:973-403-2600 CAGE:88444

======= Composition/Information on Ingredients ==========

Ingred Name:FATTY AMIDO AMINE RESIN 85 +/- 5% Fraction by Wt: 85+/-5% Other REC Limits:IRRITANT

Ingred Name:TETRAETHYLENE PENTAMINE 10 +/- 4% CAS:11

2-57-2 RTECS #:KH8585000 Fraction by Wt: 10+/-4% Other REC Limits:CORROSIVE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- INHALATION:IRRITATION. SKIN:IRRITATION, BURNS. EYES:IRRITATION, DAMAGE. CHRONIC- SKIN SENSITIZATION. Effects of Overexposure:IRRITATION, RED EYE, PAIN, DIZZINESS, NAUSEA, VOMITING.

Medical Co

nd Aggravated by Exposure:SKIN CONDITIONS.

First Aid:INHALATION:REMOVE TO FRESH AIR, PROVIDE CPR/OXYGEN IF NEEDED. EYE CONTACT:FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL HELP. SKIN CONTACT:WASH WITH SOAP AND WATER. GET MED ATTENTION IF SYMPTOMS PERSIS T. INGESTION:DO NOT INDUCE VOMITING, DRINK 1-2 GLASSES OF WATER. GET MEDICAL HELP IMMEDIATELY.

=====

Flash Point Method:SCC

Flash Point:230F,110C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE

PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

==

Spill Release Procedures: ELIMINATE IGNITION SOURCES. ABSORB IN INERT MATERIAL & SHOVEL INTO CONTAINERS.

Handling and Storage Precautions:CAUTION! DO NOT GET INTO EYES. AVOID CONTACT WITH SKIN & CLOTHING. AVOID INHALATION OF VAPOR OR MIST. USE WITH ADEQUATE VENTILATION.

Other Precautions: AVOID EXTREME HEAT. KEEP AWAY FROM FLAME. DO NOT EXCEED 110F (43C) IN STORAGE AREA.

====== Exposure Controls/Pers

onal Protection =========

Respiratory Protection:USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES. Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER OR BUNA N Eye Protection:CHEMICAL SPLASH GOGGLES Other Protective Equipment:WEAR PROTECTIVE CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. Supplemental Safety a nd Health THIS IS PART B OF A 2 PART PRODUCT. FOR PART A, SEE PNI A, SAME NSN. KEY1:N1

HCC:N1 Spec Gravity:0.90 Solubility in Water:SLIGHT Appearance and Odor:DARK GREY PASTE, AMONIACAL ODOR.

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, OXIDIZING AGENTS Stability Condition to Avoid:IGNITION SOURCES Hazardous Decomposition Products:CO2, CO, NOX, TOXIC FUMES WHEN BURNING

Waste Disposal Methods:DISPOSE BY CONTROLLED BURNING OR AUTHORIZED LANDFILL. COMPLY WITH ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this info rmation to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.